RETURN TO WORK & DISABILITY DURATION GUIDELINE

Prepared by:
Dr. Aysha Hussain
Dr. Ahmed saad
Dr. Sameer Alhaddad

CONTENTS

	Title	Page
-	Introduction to the Guide ……..……..…….	2-3
-	Job Classification ……....	4
1.	Metabolic & Endocrine……..……...….....	5-10
2.	Neurology…….……...….....	11-22
3.	Psychiatric…….…….……...….....	23-30
4.	Respiratory……..……...….....	31-40
5.	Tumors……..…….……...….....	41-53
6.	Blood Disorders…….……...….....	54-59
7.	Cardiology…….…….……...….....	60-74
8.	Cerebrovascular……..……...….....	75-78
9.	Circulatory……..…….……....	79-89
10.	Ear, Nose & Throat……..……..…….....	90-97
11.	Eye Disorders……...…….…….....	98-107
12.	Chemical Poisoning…….…….…….	108-110
13.	Dental Disorders…….……..……..	111-114
14.	Gastroenterology……..…….……....	115-142
15.	Genitourinary…….……..…….....	143-157
16.	Gynecology – Obstetrics……..……...……....	158-171
17.	Muscle & Connective Tissue……..…	172-188
18.	Sprains and Strains……...……....	189-197
19.	Fractures……..……	198-216
20.	Reference……..……	217

INTRODUCTION TO THE GUIDE

The Medical Disability Advisor, with regards to disability duration and return to work following illness/injuries Guidelines, is the best known, most used, and most accurate data source for estimating the disability duration, and thus return to work time for many diseases and injuries based on the Risk, Capacity, and Tolerance. It is probably the best model to use in considering an individual's readiness for return to work involves the consideration of "risk," "capacity," and "tolerance." [1]

"Risk" is a basis for physician-imposed activity restrictions. Most return-to-work forms sent to physicians have a line on which the physician can state "restrictions" that may pose a risk to the individual or to others (e.g. co-workers, the general motoring public, etc.). Risk, in this regard, means the person should not do something, even though he/she may actually be capable of doing the activity. For example, individuals with uncontrolled seizure disorders are not permitted to work as commercial airline pilots or bus drivers based on risk. The concept of "risk" most closely conforms to the "Minimum" column of disability duration in the consensus tables in this edition.

"Capacity" is the basis for physician described activity limitations, and means the individual is not yet physically capable of an activity. Many of the return to work forms sent to physicians have a line on which the physician can state "limitations" based on capacity evaluation. For example, after a wound into the biceps muscle mass of the arm, an individual may not yet have the strength to permit lifting a certain amount of weight; or after a fracture of the shoulder, an individual may not yet have enough shoulder motion for his/her hand to reach the overhead control on a factory press. In the disability duration tables the "Optimum" column indicates when the average person with the average speed of recovery and little co morbidity will return to work.

"Tolerance" is the issue with which doctors, employers, employees, and insurers struggle. Tolerance is the ability to put up with the symptoms (like pain or fatigue) that accompany doing work tasks in order to gain the rewards of work (income, self-esteem, health benefits of work, etc.). Tolerance means the ability to tolerate the symptoms produced by doing an activity the individual clearly can do. Tolerance is not a scientific concept, and tolerance is not scientifically measurable. Early after major injury or surgery physicians have fair agreement on work guidelines based in tolerance issues, but for chronic problems studies have shown physicians cannot agree on work guidelines based in tolerance issues. People (patients) consider factors like income and finances, job satisfaction, need for employer provided health insurance benefits, availability of disability or workers' compensation insurance to maintain income, ability to switch to physically easier careers, etc. when deciding whether the rewards of working are to them worth the "cost" of working.

The "Maximum" column of the disability duration table reflects current physician consensus of what the vast majority of individuals will tolerate. From the data set of actual observed durations, probably 90% or more of individuals have already returned to work by the time listed in the "Maximum" column. There will be some individuals who will not return to work in their prior career because of risk (e.g. heavy work with a vascular necrosis of the femoral head), and some who permanently lack the capacity for their former career (e.g., heavy work after a major heart attack that caused permanent congestive heart failure). Cases of this type will also be in the category of those who have not yet returned to their prior careers at the date listed in the "Maximum" column. Thus, for those who seem to have the capacity to return to their prior career with no serious risk issues, but have yet to return to work by the "Maximum" date listed, either multiple and serious co-morbidities, unusually low symptom tolerance, or malingering would logically be present. Thus physicians, employers and insurers would want to look closely at cases nearing the "Maximum" disability duration.

There is a large and growing body of scientific evidence that return to work usually provides significant overall health benefit, and staying off work needlessly results in poorer overall health

[1] *Talmage JB, Melhorn JM. A Physician's Guide to Return to Work. AMA Press, Chicago, 200*

outcomes. [2] Thus, employers, employees (patients), and insurers all benefit from individuals returning to work in usual time periods.

As medical care improves, the disability durations for many conditions have shortened, and this is reflected in the tables, as well as in the data sets that helped influence the revisions. This is particularly noticeable in the case of minimally invasive surgery (e.g. arthroscopic surgery instead of open joint surgery, laparoscopic surgery instead of opens abdominal surgery, etc.).

—MD Guidelines

[2] *Waddell GA, Burton AK.* Is Work Good for Your Health and Well Being? *The Stationery Office, London, 2006*

Job Classification

In most duration tables, five job classifications are displayed. These job classifications are based on the amount of physical effort required to perform the work. The classifications correspond to the Strength Factor classifications described in the United States Department of Labor's Dictionary of Occupational Titles. The following definitions are quoted directly from that publication.

Sedentary Work
Exerting up to 10 pounds (4.5 kg) of force occasionally and/or a negligible amount of force frequently or constantly to lift, carry, push, pull, or otherwise move objects, including the human body. Sedentary work involves sitting most of the time, but may involve walking or standing for brief periods of time. Jobs are sedentary if walking and standing are required only occasionally and other sedentary criteria are met.

Light Work
Exerting up to 20 pounds (9.1 kg) of force occasionally and/or up to 10 pounds (4.5 kg) of force frequently, and/or negligible amount of force constantly to move objects. Physical demand requirements are in excess of those for Sedentary Work. Light Work usually requires walking or standing to a significant degree. However, if the use of the arm and/or leg controls requires exertion of forces greater than that for Sedentary Work and the worker sits most the time, the job is rated Light Work.

Medium Work
Exerting up to 50 (22.7 kg) pounds of force occasionally, and/or up to 25 pounds (11.3 kg) of force frequently, and/or up to 10 pounds (4.5 kg) of forces constantly to move objects.

Heavy Work
Exerting up to 100 pounds (45.4 kg) of force occasionally, and/or up to 50 pounds (22.7 kg) of force frequently, and/or in excess of 20 pounds (9.1 kg) of force constantly to move objects.

Very Heavy
Work Exerting in excess of 100 pounds (45.4 kg) of force occasionally, and/or in excess of 50 pounds (22.7 kg) of force frequently, and/or in excess of 20 pounds (9.1 kg) of force constantly to move objects.

METABOLIC & ENDOCRINE

Addison's disease
Medical treatment, Addison's disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	7	14
Medium	3	7	14
Heavy	7	9	14
Very Heavy	7	9	14

Adrenalectomy
Surgical treatment, adrenalectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	42
Light	21	35	42
Medium	28	42	56
Heavy	42	49	56
Very Heavy	42	49	56

Cushing's syndrome
Surgical treatment, adrenalectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	42
Light	21	35	42
Medium	28	42	56
Heavy	42	49	56
Very Heavy	42	49	56

Surgical treatment, resection of pituitary adenoma.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	56
Light	21	28	56
Medium	28	35	70
Heavy	42	42	70
Very Heavy	42	42	70

Dercum's disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	5	10
Light	3	5	10
Medium	7	10	14
Heavy	7	14	28
Very Heavy	10	14	28

Diabetes Insipidus
Medical treatment, diabetes insipidus (acute episode without complications).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	2	7
Light	0	2	7
Medium	0	2	7
Heavy	0	3	7
Very Heavy	0	3	7

Diabetes Mellitus Type 1
Diabetes Mellitus Type 2
Medical treatment, diabetes mellitus (acute episode without complications).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	7

Diabetes with Peripheral Circulatory Disorders
Medical treatment, diabetes with peripheral circulatory disorders.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	5
Light	1	3	5
Medium	1	3	7
Heavy	1	3	7
Very Heavy	1	3	7

Diabetic Glomerulosclerosis
Medical treatment, diabetic glomerulosclerosis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	14	21
Light	3	14	21
Medium	3	14	28
Heavy	7	14	63
Very Heavy	10	14	63

Diabetic Retinopathy
Goiter
Medical treatment, goiter.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	3	7
Medium	0	3	7
Heavy	0	3	7
Very Heavy	0	3	7

Surgical treatment, thyroidectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	7	14	21
Heavy	7	21	28
Very Heavy	7	21	28

Gout
Medical treatment, gout.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	3	7	14
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Grave's Disease
Medical treatment, Grave's disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	3	7
Heavy	1	3	7
Very Heavy	1	3	7

Surgical treatment, thyroidectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	7	14	21
Heavy	7	21	28
Very Heavy	7	21	28

Hyper insulinism
Surgical treatment, partial pancreatectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	42	56	70
Heavy	56	70	84
Very Heavy	56	70	84

Hyper parathyroidism
Surgical treatment, para thyroidectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	7	21	35
Heavy	7	21	42
Very Heavy	7	21	42

Hypothyroidism
Medical treatment, hypothyroidism.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	14	28
Light	0	14	28
Medium	0	21	42
Heavy	0	28	56
Very Heavy	0	28	56

Hypoparathyroidism.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	28

Obesity
Pan hypo pituitarism
Medical treatment, pan hypo pituitarism.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	28

Poly cystic Ovary Syndrome
Medical treatment, poly cystic ovary syndrome.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	7

Porphyria
Wilson's disease
Medical treatment, Wilson's disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	42	Indefinite

Thyroiditis
Medical treatment, thyroiditis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	28

Vitamin B12 Deficiency
Medical treatment, vitamin B12 deficiency without complications.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	7	14

Medical treatment, vitamin B12 deficiency with neurological complications.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	21	Indefinite

Vitamin A Deficiency
Medical treatment, vitamin A deficiency.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	21	Indefinite

Vitamin C Deficiency
Medical treatment, vitamin C deficiency.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	21	Indefinite

Pellagra
Medical treatment, pellagra.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	7	14

NEUROLOGY

Alzheimer's disease
Amyotrophic Lateral Sclerosis
Medical treatment, amyotrophic lateral sclerosis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	7	Indefinite

Atrophy, Muscular (Progressive)
Bell's palsy
Medical treatment, Bell's palsy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	14	35

Brachial Neuropathy
Brain Abscess
Medical treatment, brain abscess.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	28	56	Indefinite

Surgical treatment, drainage.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	42	84	Indefinite

Carotid Sinus Syncope
Surgical treatment, pacemaker insertion.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	4	7
Light	3	4	7
Medium	7	14	21
Heavy	14	21	28
Very Heavy	14	21	28

Cluster Headache
Medical treatment, cluster headache (single episode)

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	7

Complex Regional Pain Syndrome
Craniotomy
Length of Disability
Disability may be permanent.
Surgical treatment,craniectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	Indefinite
Light	35	42	Indefinite
Medium	42	56	Indefinite
Heavy	42	56	Indefinite
Very Heavy	42	56	Indefinite

Craniotomy
Surgical treatment, craniotomy (epidural or subdural hematoma).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	Indefinite
Light	35	42	Indefinite
Medium	42	56	Indefinite
Heavy	42	56	Indefinite
Very Heavy	42	56	Indefinite

Encephalitis
Encephalopathy
Epilepsy
Medical treatment, epilepsy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	28

Grand Mal Seizure
Medical treatment, grand mal seizure.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	28

Guillain-Barré Syndrome
Medical treatment, Guillain-Barré syndrome.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	84	Indefinite
Light	42	84	Indefinite
Medium	42	112	Indefinite
Heavy	56	112	Indefinite
Very Heavy	56	168	Indefinite

Hemiplegia
Medical and/or surgical treatment, hemiplegia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	70	112	Indefinite
Light	91	182	Indefinite
Medium	91	182	Indefinite
Heavy	91	182	Indefinite
Very Heavy	91	182	Indefinite

Huntington's chorea
Jacksonian Seizure
Medical treatment, Jack sonian seizure.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	14

Lumbar Puncture
Medical treatment, lumbar puncture.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	4

Meningitis, Bacterial
Medical treatment, bacterial meningitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	21	42

Meningitis, Chronic
Medical treatment, chronic meningitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	42	182	Indefinite

Migraine Headache
Medical treatment, migraine headache (single episode).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	3

Morton's Neuroma
Medical treatment, Morton's neuroma.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	7	14
Light	0	7	14
Medium	0	10	28
Heavy	0	14	28
Very Heavy	0	14	28

Surgical treatment, excision of Morton's neuroma (unilateral).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	21
Light	3	14	21
Medium	3	21	28
Heavy	7	28	35
Very Heavy	7	28	42

Excision of Morton's Neuroma
Very Heavy Work Exerting in excess of 100 pounds (45.4 kg) of force occasionally, and/or in excess of 50 pounds (22.7 kg) of force frequently, and/or in excess of 20 pounds (9.1 kg) of force constantly to move objects.

Surgical treatment, excision of Morton's neuroma.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	21
Light	3	14	21
Medium	3	21	28
Heavy	7	28	35
Very Heavy	7	28	42

Multiple Sclerosis
Multiple System Atrophy
Length of Disability
Disability will eventually become permanent.
Multiple system atrophy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	Indefinite
Light	14	28	Indefinite
Medium	28	42	Indefinite
Heavy	28	42	Indefinite
Very Heavy	28	42	Indefinite

Myasthenia Gravis
Surgical treatment, thymectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	35
Heavy	42	42	56
Very Heavy	42	56	70

Medical treatment, myasthenia gravis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	4	28	56
Light	4	28	56
Medium	14	56	84
Heavy	56	84	Indefinite
Very Heavy	56	84	Indefinite

Myelopathy
Narcolepsy
Medical and supportive treatment, narcolepsy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	7	28

Neuropathy of Radial Nerve (Entrapment)
Medical treatment, radial nerve entrapment.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	5	7
Light	1	7	14
Medium	7	14	28
Heavy	7	21	56
Very Heavy	14	28	56

Surgical treatment,radial nerve decompression.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	14	28	98
Heavy	21	28	98
Very Heavy	28	56	Indefinite

Neuropathy of Ulnar Nerve (Entrapment)
Medicaltreatment, ulnar nerve entrapmentat the elbow.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	5	28
Light	1	7	28
Medium	7	14	56
Heavy	14	21	56
Very Heavy	14	28	56

Medical treatment, ulnar nerve entrapment at the wrist.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	5	21
Light	0	7	21
Medium	0	14	28
Heavy	0	21	42
Very Heavy	0	28	63

Surgicaltreatment, simple release and anterior subcutaneous transfer, ulnar nerve entrapment (elbow).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	28	42
Medium	28	42	84
Heavy	35	56	112
Very Heavy	42	84	126

Diabetic Neuropathy
Paralysis, Paraplegia, and Quadriplegia
Medical and/or surgical treatment, paralysis, paraplegia and quadriplegia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	119	182	Indefinite
Light	Indefinite	Indefinite	Indefinite
Medium	Indefinite	Indefinite	Indefinite
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Parkinson’s disease
Medical treatment, Parkinson’s disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	Indefinite
Light	1	3	Indefinite
Medium	1	7	Indefinite
Heavy	1	21	Indefinite
Very Heavy	1	21	Indefinite

Surgical treatment, thalamotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	56
Light	14	35	84
Medium	28	42	182
Heavy	56	70	Indefinite
Very Heavy	56	70	Indefinite

Surgical treatment, adrenal tissue implant or transplant.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	84
Light	28	42	84
Medium	42	84	182
Heavy	70	182	Indefinite
Very Heavy	70	182	Indefinite

Peripheral Neuropathy
Petit Mal Epilepsy
Length of Disability
Duration of disability depends on job requirements.
Medical treatment, petit mal epilepsy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	28

Seizures
Spinal Cord Stimulation
Spinal Fusion
Surgical treatment, cervical spinal fusion (onelevel), with or without discectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	21	42
Light	21	42	56
Medium	42	56	84
Heavy	56	84	112
Very Heavy	70	91	140

Surgical treatment, lumbar spinal fusion.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	49	84
Light	56	63	84
Medium	70	77	112
Heavy	84	168	Indefinite
Very Heavy	84	168	Indefinite

Surgical treatment, thoracic spinal fusion.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	49	84
Light	56	63	84
Medium	70	77	112
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Sympathectomy
Surgicaltreatment, sympathectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	14	21	28
Heavy	14	21	28
Very Heavy	14	21	28

Sympathetic block.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	3	7	21
Medium	7	14	28
Heavy	7	14	28
Very Heavy	7	21	35

Syringomyelia
Surgical treatment, syringotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	14	21	28
Heavy	21	28	35
Very Heavy	21	28	42

Surgical treatment, cervical laminectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	91
Light	28	42	119
Medium	28	84	182
Heavy	42	98	Indefinite
Very Heavy	56	112	Indefinite

Thoracic Outlet Syndrome
Medical treatment, thoracic outlet syndrome.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	7	14
Light	0	7	14
Medium	0	14	28
Heavy	0	21	84
Very Heavy	0	21	84

Surgical treatment, scalenectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	14	21	28
Medium	21	28	35
Heavy	28	42	84
Very Heavy	28	42	84

Surgical treatment, rib resection.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	42
Light	21	28	42
Medium	28	35	56
Heavy	28	42	84
Very Heavy	35	42	84

Torticollis
Surgical treatment, sternocleidomastoid release.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	14
Light	0	5	21
Medium	0	7	28
Heavy	0	14	42
Very Heavy	0	28	56

Medical treatment, torticollis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	7	10
Light	0	7	10
Medium	0	7	10
Heavy	0	7	10
Very Heavy	0	7	10

Trans cutaneous Electrical Nerve Stimulation
Length of Disability
No disability is expected to result from use of this therapy. Disability may occur as a result of an under lying condition.
Transfer of Nerve, Ulnar (Transposition)
Surgical treatment, transfer of ulnar nerve.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	7	14	21
Medium	14	21	42
Heavy	28	49	56
Very Heavy	35	56	84

Trigeminal Neuralgia
Length of Disability
Disability could be on going.
Percutaneous ablation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	7
Light	1	3	7
Medium	1	3	7
Heavy	1	4	7
Very Heavy	1	4	7

Medical treatment, trigeminal neuralgia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	3	7
Heavy	1	3	7
Very Heavy	1	3	7

Injection therapy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	3	7	21
Medium	7	14	28
Heavy	7	14	28
Very Heavy	7	21	35

Surgical treatment, trigeminal neuralgia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	42
Light	7	14	42
Medium	14	21	42
Heavy	14	21	42
Very Heavy	14	21	42

PSYCHIATRIC

Adjustment Disorder with Anxious Mood
Psychotherapy and pharmacotherapy, adjustment disorder with anxious mood.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	7	42

Adjustment Disorder with Depressed Mood

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	7	49

Adjustment Disorder with Predominant Disturbance of Conduct

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	7	42

Amnesia
Length of Disability
Duration depends on the cause of the amnesia. Disability may be permanent. Contact physician for additional information.

Anti-social Personality Disorder
Length of Disability
This condition represents a life-long pattern of behavior. In most cases, no disability is expected.

Anxiety Disorder, Generalized

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	7	28

Aphasia
Medical treatment, aphasia (mild, partial).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	28	Indefinite

Bipolar Affective Disorder

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	28	56

Bipolar Affective Disorder, Depressed

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	28	56

Bipolar Affective Disorder, Mixed

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	28	56

Bipolar Affective Disorder, Single Manic Episode

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	28	56

Border line Personality Disorder
Conversion Disorder
Psychotherapy, conversion disorder.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	28

Delirium
Length of Disability
If the delirium does not resolve in a few hours or days, symptoms may persist in some individuals for months, or even result in death. Disability may be permanent. Contact physician for additional information.

Delusional disorders

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	28	42	84

Dementia
Length of Disability
If the underlying cause of the dementia is not treatable, the dementia may continue to progress. Disability may be permanent. Contact physician for additional information.

Dementia, Alzheimer's Type, with Delusions (Late Onset)
Length of Disability
This condition eventually results in total and permanent disability. Contact physician for additional information.

Dependent Personality Disorder
Length of Disability
In most cases, no disability is expected.

Depersonalization Disorder

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	14	28

Depression, Major
Major depressive disorder (single episode).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	28	56

Major depressive disorder (recurrent episode).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	28	70

Depressive Psychosis
Depressive psychosis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	28	56

Dissociative Identity Disorder
Length of Disability
This condition represents a life-long pattern of behavior. Contact physician for more specific information.

Dysthymic Disorder
Length of Disability
Dysthymia is seldom disabling. Remission and recurrence are common due to the chronic nature of dysthymia.

Dysthymic disorder.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	14

Eating Disorders
Medical treatment, eating disorder.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	56

Explosive Personality Disorder
Length of Disability
This condition represents a lifelong pattern of behavior. In most cases, no disability is expected, although the individual may be removed from the work place for safety reasons. Duration depends on severity of manifestations and exacerbating factors.

Factitious Illness with Physical Symptoms

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	14	28

Factitious Illness with Psychological Symptoms

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	14	28

Hyper ventilation Syndrome

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	1	3

Hypochondriasis

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	1	7

Headache
Medical or supportive treatment, headache.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	3

Manic Disorder, Recurrent

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	28	56

Narcissistic Personality Disorder
Neurocirculatory Asthenia
Length of Disability
This is a vague diagnosis, and no disability is expected.

Neurotic Disorders

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	28

Obsessive-Compulsive Disorder

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	28

Organic Psychosis
Alcoholic, drug, or transient organic psychosis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	28	42

Pain, Chronic
Length of Disability
Duration depends on specific diagnosis .Although persons with this diagnosis may self-limit their work or social activities; there may be no objective medical basis for disability. This is a controversial diagnosis. Contact physician for additional information.

Panic Disorder

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	28

Panic Disorder with Agoraphobia

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	28	56

Paranoid Personality Disorder
Length of Disability
This condition represents a life-long pattern of behavior. In most cases, no disability is expected.
Phobias, Specific

Specific phobia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	28

Phobic Disorders

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	28	49

Post-traumatic Stress Disorder

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	28	56

Post-concussion Syndrome

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	28	Indefinite

Psycho sexual Disorders
Length of Disability
This condition should not result in disability.

Psychotic Disorder, Brief

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	28	56

Psychotic Disorder, Unspecified
Length of Disability
This is a vague diagnosis. Contact physician to obtain a more specific diagnosis.

Schizo-affective Disorder

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	42	98

Schizoid Personality Disorder
Length of Disability
This condition represents a life-long pattern of behavior. In most cases, no disability is expected.

Schizophrenia, Paranoid Type

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	182	224	Indefinite

Schizophrenic form Disorder

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	28	42	56

Social Phobia

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	42

Somatization Disorder

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	14	28

Stress Disorder, Acute

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	7	28

Tension Headache
Supportive treatment, tension headache.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	2

Tics
Length of Disability
Duration depends on response to medications and psychotherapy and any other psychiatric disorders. In some individuals with childhood onset, symptoms may disappear by early adulthood while in others the symptoms worsen. In most cases,no disability is expected. Contact physician for additional information.

RESPIRATORY

Abscess, Larynx
Medical treatment, larynx abscess.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	**0**	**2**	**3**
Light	**0**	**2**	**3**
Medium	**0**	**2**	**3**
Heavy	**0**	**2**	**3**
Very Heavy	**0**	**2**	**3**

Surgical drainage, larynx abscess.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	42
Light	14	21	42
Medium	14	28	56
Heavy	21	28	70
Very Heavy	21	28	70

Surgical treatment, tracheostomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	21	Indefinite
Light	10	21	Indefinite
Medium	14	35	Indefinite
Heavy	21	35	Indefinite
Very Heavy	21	42	Indefinite

Abscess, Lung
Medical treatment, lung abscess.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	42
Heavy	42	63	84
Very Heavy	42	63	84

Surgical treatment, partial lobectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	56
Light	21	42	56
Medium	28	56	70
Heavy	42	84	Indefinite
Very Heavy	42	Indefinite	Indefinite

Surgical treatment, total lobectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	56	84	Indefinite
Light	56	84	Indefinite
Medium	56	84	Indefinite
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Abscess, Peritonsillar
Medical treatment including aspiration, peritonsillar abscess.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	7
Light	2	3	7
Medium	2	3	7
Heavy	2	3	7
Very Heavy	2	3	7

Surgical drainage, with or without tonsillectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	7	14	21
Heavy	7	14	28
Very Heavy	7	14	28

Adult Respiratory Distress Syndrome
Medical treatment, adult respiratory distress syndrome (mildtomoderate).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	28	Indefinite

Asbestosis
Length of Disability
Disability may be permanent.
Supportive treatment, asbestosis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	7	Indefinite
Light	0	7	Indefinite
Medium	0	14	Indefinite
Heavy	0	84	Indefinite
Very Heavy	0	84	Indefinite

Asthma

Medical treatment, acute asthma attack (mild to moderate)

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	3	7
Medium	0	3	10
Heavy	0	3	14
Very Heavy	0	3	14

Biopsy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	3

Bronchiectasis

Medical treatment, acute exacerbation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	7	14	28
Heavy	7	21	42
Very Heavy	7	21	42

Surgical treatment, partial lobectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	56
Light	21	42	56
Medium	28	56	70
Heavy	42	84	Indefinite
Very Heavy	42	Indefinite	Indefinite

Bronchitis, Acute

Medical treatment, acute bronchitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	5	14
Light	0	5	14
Medium	0	5	14
Heavy	1	7	14
Very Heavy	1	7	14

Bronchitis, Chronic
Medical treatment, acute exacerbation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	5	21
Light	1	7	21
Medium	3	10	21
Heavy	5	14	28
Very Heavy	5	14	28

Bronchoscopy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	1	1

Byssinosis
Medical treatment, acute exacerbations due to re-exposure.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	3

Chronic Obstructive Pulmonary Disease
Medical treatment, acute exacerbation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	5	7	21
Light	5	7	21
Medium	5	10	21
Heavy	5	14	28
Very Heavy	5	14	28

Emphysema
Medical treatment, acute exacerbation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	**5**	**7**	**21**
Light	**5**	**7**	**21**
Medium	**5**	**10**	**21**
Heavy	**5**	**14**	**28**
Very Heavy	**5**	**14**	**28**

Pleural Empyema
Surgical treatment, drainage by thoracostomy tube.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	7	28	56
Heavy	14	35	70
Very Heavy	14	56	70

Humidifier Fever
Medical treatment, humidifier fever.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	7

Hyperbaric Oxygenation
Length of Disability
No disability is expected to result from this therapy. Disability may occur as a result of an underlying condition.

Infection
Interstitial Pulmonary Fibrosis
Legionnaire's Disease
Medical treatment, Legionnaire's disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	5	7	14
Light	5	7	14
Medium	5	10	21
Heavy	7	10	28
Very Heavy	7	14	35

Lung Collapse
Surgical treatment, drainage by thoracostomy tube.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	7	28	56
Heavy	14	35	70
Very Heavy	14	56	70

Lung Excision

Surgical treatment, partial lobectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	56
Light	21	42	56
Medium	28	56	70
Heavy	42	84	Indefinite
Very Heavy	42	Indefinite	Indefinite

Surgical treatment, total lobectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	56	84	Indefinite
Light	56	84	Indefinite
Medium	56	84	Indefinite
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Occupational Asthma

Medical treatment, acute asthma attack.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	3

Pleural Biopsy

Pleural biopsy, needle or thoracoscopy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	5
Light	1	3	5
Medium	2	4	7
Heavy	2	4	7
Very Heavy	2	4	7

Pleura biopsy, thoracotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	35
Light	14	28	35
Medium	21	28	35
Heavy	28	35	42
Very Heavy	28	35	42

Pleurisy

Medical treatment, pleurisy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	5	7	21
Heavy	5	7	21
Very Heavy	7	7	21

Pneumonectomy

Surgical treatment, pneumonectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	56	70	Indefinite
Light	56	70	Indefinite
Medium	70	70	Indefinite
Heavy	70	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Pneumonia

Medical treatment, bacterial orviral pneumonia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	28

Pneumothorax

Length of Disability

Duration depends on size, cause, and the presence and severity of lung disease.

Surgical treatment, thoracotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	35
Light	21	28	35
Medium	21	28	35
Heavy	28	35	42
Very Heavy	28	35	42

Surgical treatment, drainage by thoracostomy tube.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	7	28	56
Heavy	14	35	70
Very Heavy	14	56	70

Pulmonary Edema
Length of Disability
Disability may be permanent.

Medical treatment, pulmonary edema.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	7	14	21
Heavy	14	21	28
Very Heavy	14	21	28

Respiratory Failure
Length of Disability
Duration depends on underlying cause .Contact physician to obtain additional information on this vague diagnosis.

Siderosis
Length of Disability
No disability is associated with this diagnosis.

Silicosis
Medical treatment, silicosis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	7	14
Light	0	7	14
Medium	0	14	28
Heavy	0	84	168
Very Heavy	0	84	168

Thoracentesis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	2

Thoracostomy
Length of Disability
Length of disability will depend on the individual's response to therapy for theunderlying disease.

Surgical treatment, thoracostomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	14	28
Light	3	14	28
Medium	3	21	42
Heavy	7	21	42
Very Heavy	7	21	42

Thoracotomy
Surgical treatment, thoracotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	35
Light	21	28	35
Medium	21	28	35
Heavy	28	35	42
Very Heavy	28	35	42

Tracheostomy
Surgical treatment, tracheostomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	21	Indefinite
Light	10	21	Indefinite
Medium	14	35	Indefinite
Heavy	21	35	Indefinite
Very Heavy	21	42	Indefinite

TUMORS

Astrocytoma

Medical and/or surgical treatment, astrocytoma.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	42	182	Indefinite

Bone Tumors (Benign and Malignant)
Length of Disability
Duration of disability depends on the specific site, size, and type of tumor. Disability may be permanent. Contact physician for additional information.

Cancer, Bladder
Surgical treatment, Tran's urethral resection of bladder.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	14	16	21
Heavy	21	24	28
Very Heavy	21	24	28

Surgical treatment, cystectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	49	56
Light	42	49	56
Medium	42	49	70
Heavy	56	63	84
Very Heavy	56	63	112

Cancer, Brain
Medical and/or surgical treatment, brain cancer.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	42	182	Indefinite

Cancer, Breast
Surgical treatment, lumpectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	1	3	14
Medium	1	3	14
Heavy	3	7	14
Very Heavy	3	7	14

Surgical treatment, multiple quadrant or total mastectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	14	21
Light	3	14	21
Medium	10	14	42
Heavy	14	21	70
Very Heavy	14	21	84

Surgical treatment, radical or modified radical mastectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	70	112
Light	28	70	112
Medium	42	84	112
Heavy	56	112	180
Very Heavy	56	112	180

Cancer, Cervix
Cervical conization.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	7
Light	2	3	7
Medium	2	5	7
Heavy	2	5	10
Very Heavy	2	5	10

Surgical treatment, abdominal hysterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	42	56
Medium	42	56	70
Heavy	42	70	84
Very Heavy	42	84	98

Surgical treatment, radical hysterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	49	56
Light	56	63	70
Medium	70	77	84
Heavy	70	84	112
Very Heavy	**70**	**84**	**140**

Cancer, Colon
Surgical treatment, open colon resection and concomitant cancer treatment.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	70
Light	28	49	70
Medium	42	63	84
Heavy	56	84	112
Very Heavy	56	84	112

Cancer, Esophagus
Surgical treatment, esophagectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	21	Indefinite
Light	10	21	Indefinite
Medium	10	28	Indefinite
Heavy	10	28	Indefinite
Very Heavy	10	28	Indefinite

Cancer, Kidney
Surgical treatment, radical nephrectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	42
Light	14	28	56
Medium	21	35	56
Heavy	28	42	70
Very Heavy	28	42	70

Surgical treatment, partial nephrectomy by da Vinci Robot.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	7	14	28
Medium	10	21	35
Heavy	14	28	42
Very Heavy	21	35	42

Cancer, Liver
Medical or surgical treatment, liver cancer.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	42	91	Indefinite

Cancer, Lung
Surgical treatment, partial lobectomy (NSCLC).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	56
Light	21	28	56
Medium	28	42	70
Heavy	42	84	Indefinite
Very Heavy	42	91	Indefinite

Surgical treatment, pneumonectomy (NSCLC).

DURATION IN DAYS			
Job Classification	Minimum	Optimum	Maximum
Sedentary	56	70	Indefinite
Light	56	70	Indefinite
Medium	70	70	Indefinite
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Cancer, Ovary
Surgical treatment, salpingo-oophorectomy or abdominal hysterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	42	56
Medium	42	56	70
Heavy	42	70	84
Very Heavy	42	84	98

Surgical treatment,radical hysterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	49	56
Light	56	63	70
Medium	70	77	84
Heavy	70	84	112
Very Heavy	70	84	140

Cancer,Pancreas
Surgical treatment, pancreaticoduodenectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	Indefinite
Light	42	56	Indefinite
Medium	56	70	Indefinite
Heavy	70	84	Indefinite
Very Heavy	70	84	Indefinite

Surgical treatment, total pancreatectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	Indefinite
Light	42	56	Indefinite
Medium	56	70	Indefinite
Heavy	70	84	Indefinite
Very Heavy	70	84	Indefinite

Cancer, Pleura
Pleuralbiopsy,open.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	35
Light	21	28	35
Medium	21	28	35
Heavy	28	35	42
Very Heavy	28	35	42

Surgical treatment, pneumonectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	56	70	Indefinite
Light	56	70	Indefinite
Medium	70	70	Indefinite
Heavy	70	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Cancer, Prostate
Medical treatment, hormonetherapy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	10	21
Light	3	10	21
Medium	3	10	21
Heavy	7	14	42
Very Heavy	7	14	42

Surgical treatment, radical prostatectomy (suprapubic,retropubic or perinealapproach).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	21	35
Light	14	42	42
Medium	28	49	54
Heavy	42	56	70
Very Heavy	42	63	84

Cancer, Rectum
Surgical treatment, abdominoperineal resection of rectum.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	56
Light	28	35	91
Medium	42	56	112
Heavy	56	91	126
Very Heavy	56	112	140

Cancer, Skin (Excluding Melanoma)

Surgical treatment, excision (basal cell or squamous cell carcinoma, no metastases).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	2	3
Medium	1	2	4
Heavy	2	3	7
Very Heavy	2	3	7

Cancer, Skin (Melanoma)
Length of Disability
Disability may be permanent.

Surgical treatment, excision.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	7
Light	1	2	7
Medium	1	3	7
Heavy	1	7	14
Very Heavy	1	7	14

Surgical treatment, excision with skin graft.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	7	14
Light	7	7	14
Medium	21	28	42
Heavy	28	42	56
Very Heavy	28	42	56

Cancer, SmallIntestine (Including Duodenum)
Length of Disability
Disability may be permanent. Durations reflect recovery from procedure only.

Surgical treatment, pancreaticoduodenectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	Indefinite
Light	42	56	Indefinite
Medium	56	70	Indefinite
Heavy	70	84	Indefinite
Very Heavy	70	84	Indefinite

Cancer, Stomach
Surgical treatment, total gastrectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	42	56	70
Heavy	42	56	70
Very Heavy	42	56	70

Cancer, Testicle(s)
Surgical treatment, orchiectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	21
Medium	7	14	21
Heavy	7	14	21
Very Heavy	7	14	21

Cancer, Thyroid Gland
Surgical treatment, thyroidectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	7	14	21
Heavy	7	21	28
Very Heavy	7	21	28

Cancer, Uterus
Surgical treatment, abdominal hysterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	42	56
Medium	42	56	70
Heavy	42	70	84
Very Heavy	42	84	98

Surgical treatment, radical hysterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	49	56
Light	56	63	70
Medium	70	77	84
Heavy	70	84	112
Very Heavy	70	84	140

CaudaEquina Syndrome
Surgical treatment, emergent decompression.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	Indefinite
Light	28	42	Indefinite
Medium	42	91	Indefinite
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Cervical Dysplasia
Cervical conization, loop electro surgical excision , or laser.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	2	5	7
Heavy	2	5	10
Very Heavy	2	5	10

Fibroid Tumor of Uterus
Surgical treatment, laparoscopic myomectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	3	7	42
Medium	7	14	49
Heavy	7	21	54
Very Heavy	14	21	63

Surgical treatment, laparoscopic abdominal hysterectomy or vaginal hysterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	42
Light	21	28	42
Medium	28	42	56
Heavy	28	56	70
Very Heavy	28	70	84

Glioma
Medical and/or surgical treatment, glioma.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	42	182	Indefinite

Hepatic Angiosarcoma
Surgical treatment, hepatic angiosarcoma.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	35	42
Medium	42	49	56
Heavy	56	70	84
Very Heavy	56	70	84

Hodgkin's Disease
Surgical treatment, diagnostic laparotomy, Hodgkin lymphoma.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	21	42	70
Medium	42	90	120
Heavy	120	150	180
Very Heavy	150	180	270

Kaposi's Sarcoma
Length of Disability
Duration of disability depends on the course of the disease and the job requirements.In many cases, disability with AIDS-related Kaposi's sarcoma may be permanent. Contact physician for additional information.

Leukemia
Length of Disability
Disability may be permanent.

Lipoma
Length of Disability
Duration depends on the size and location of the lipoma, and whether the lipoma requires treatment.

Surgical treatment, excision.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	7

Meningioma
Length of Disability
Disability may be permanent if the meningioma can not be adequately treated because of its size or position.

Medical and/or surgical treatment, meningioma.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	42	182	Indefinite

Multiple Myeloma
Length of Disability
Duration depends on stage and severity of symptoms.Disability may be permanent.Contact physician for additional information.

Mycosis Fungoides
Length of Disability
Duration depends on the stage of the disease. Disability may be permanent for individuals whose disease has spread (metastasized) in to other organ systems.

Medical treatment, mycosis fungoides.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	28	182
Light	10	28	182
Medium	14	28	182
Heavy	28	63	Indefinite
Very Heavy	28	91	Indefinite

Myeloid Leukemia
Length of Disability
The condition may lead to permanent disability or death. Contact physician foradditional information.

Neurofibromatosis
Length of Disability
Duration depends on location and grade of tumor (s). Heavy labor may have to be restricted for a period of days to weeks following surgical removal of associated tumors. If the disease progresses to a severe stage, any sort of work may become difficult or impossible, and disability may become permanent.

Surgical treatment, neurofibromatosis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	28	182	Indefinite

Non-Hodgkin's Lymphoma
Length of Disability
Disability may be permanent.

Osteoma
Length of Disability
Duration depends on size, location, and treatment. Contact physician for specific case information.

Paget's Disease of Breast
Surgical treatment, lumpectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	1	3	14
Medium	1	3	14
Heavy	3	7	14
Very Heavy	3	7	14

Surgical treatment, multiple quadrantor total mastectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	14	21
Light	3	14	21
Medium	10	14	42
Heavy	14	21	70
Very Heavy	14	21	84

Surgical treatment, radical or modified radical mastectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	70	112
Light	28	70	112
Medium	42	84	112
Heavy	56	112	180
Very Heavy	56	112	180

Pheochromocytoma
Surgical treatment and medical treatment, pheochromocytoma.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	28	42	84
Heavy	42	49	168
Very Heavy	42	49	168

Polycythemia Vera
Length of Disability
Disability may be permanent.

Medical treatment, polycythemiavera.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	84	Indefinite

BLOOD DISORDERS

- Aplastic Anemia
- Bone Marrow Biopsy
- Folic Acid Deficiency Anemia
- Hemolytic Anemia
- Hemophilia A
- Hemophilia B
- Hypersplenism
- Hypoprothrombinemia
- Idiopathic Thrombocytopenic Purpura
- Iron Deficiency Anemia
- Lymph Node Disorders
- Myelophthisic Anemia
- Neutropenia
- Pernicious Anemia
- Simplex
- Sickle Cell Anemia
- Spherocytosis, Hereditary
- Thalassemia
- Thrombocytopenia

Aplastic Anemia
Medical treatment, a plastic anemia (mild).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	42
Heavy	42	49	56
Very Heavy	42	49	84

Bone marrow transplant (recipient).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	42	56	70
Medium	56	70	84
Heavy	70	84	112
Very Heavy	70	98	112

Medical treatment, a plastic anemia (mild).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	42
Heavy	42	49	56
Very Heavy	42	49	84

Bone marrow transplant (recipient).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	42	56	70
Medium	56	70	84
Heavy	70	84	112
Very Heavy	70	98	112

2-Bone Marrow Biopsy
Bone marrow biopsy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	2
Light	0	1	2
Medium	0	1	2
Heavy	1	2	2
Very Heavy	2	3	3

3-Folic Acid Deficiency Anemia
Supportive treatment, folic acid deficiency anemia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	7	14

4-Hemolytic Anemia
Medical treatment ,hemolytic anemia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	Indefinite

Hemophilia A
Length of Disability
Disability may be permanent.

Medical treatment , hemophilia A (single episode).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	28

Hemophilia B
Length of Disability
Disability may be permanent.

Medical treatment, hemophilia B (single episode).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	28

Hyper splenism
Medical treatment , hyper splenism.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	5	10
Light	3	5	10
Medium	3	5	14
Heavy	5	7	28
Very Heavy	5	7	28

Surgical treatment, splenectomy.

DURATION IN DAYS			
Jo b Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	28	35	42
Heavy	35	42	56
Very Heavy	35	42	70

6- Hypo prothrombinemia
Length of Disability
Disability depends on underlying disease and bleeding squeal

7-Idiopathic Thrombocytopenic Purpura
Medical treatment, idiopathic thrombocytopenic Purpura.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	14	28
Light	1	14	28
Medium	7	21	42
Heavy	14	28	56
Very Heavy	14	28	56

Surgical treatment, splenectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	28	35	42
Heavy	35	42	56
Very Heavy	35	42	70

8 - Iron Deficiency Anemia
Length of Disability
The disease is usually chronic. With appropriate treatment however, most will experience remission of symptoms.

Medical treatment, idiopathic thrombocytopenic Purpura.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	14	28
Light	1	14	28
Medium	7	21	42
Heavy	14	28	56
Very Heavy	14	28	56

Surgical treatment, splenectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	28	35	42
Heavy	35	42	56
Very Heavy	35	42	70

9 - Lymph Node Disorders

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	7

10-Myelophthisic Anemia
Length of Disability
Duration depends on underlying cause. Disability may be permanent.

Medical treatment ,myelophthisic anemia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	42	Indefinite

11- PerniciousAnemia
Medical treatment, pernicious anemia (uncomplicated).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	**1**	**7**	**14**

12-SickleCellAnemia
Length of Disability
Disability will likely be permanent for individuals whose jobs require heavy physical exertion.

13-Spherocytosis, Hereditary
Medical treatment, hereditary spherocytosis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	7	14	28
Heavy	7	14	35
Very Heavy	7	14	42

Surgical treatment ,splenectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	28	35	42
Heavy	35	42	56
Very Heavy	35	42	70

14-Thalassemia
Length of Disability
Disability may be permanent.

Medical treatment, thalassemia major.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	3	7
Medium	7	14	21
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Surgical treatment, thalassemia major.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	28	35	42
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

CARDIOLOGY

- Angina, Unstable
- Angiocardiography
- Aortic Insufficiency
- Aortic Valve Stenosis
- Arrhythmia
- Arterial Embolism And Thrombosis
- Atrial Fibrillation
- Atrioventricular Block, Complete (Third-Degree)
- Atrioventricular Block, Incomplete (First-Degree)
- Atrioventricular Block, Incomplete (Second-Degree)
- Bundle Branch Block
- Cardiac Catheterization
- Cardiomyopathy
- CorPulmonale, Acute And Chronic
- Coronary Arteriography
- Coronary Atherosclerosis
- Coronary Bypass
- Embolism, Pulmonary
- Endocarditis, Bacterial
- Heart Block

Angina Pectoris
Length of Disability
The length of disability may depend on the physical and emotional requirements of the job, or whether angioplasty or other revascularization procedures are required .Disability may be permanent for physically demanding work.

Medical treatment , unstable angina pectoris ,no recent infarction.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	28
Light	3	14	42
Medium	21	28	56
Heavy	21	28	90
Very Heavy	21	28	90

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	7	14	21
Heavy	14	14	21
Very Heavy	14	21	28

Surgical treatment, coronary by-pass.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	84
Light	42	56	84
Medium	56	70	91
Heavy	56	84	112
Very Heavy	56	112	140

Angiocardiography
Aortic Insufficiency
Length of Disability
Following heart valve replacement, disability may be permanent.

Medical treatment, aortic insufficiency

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	7	14	21
Heavy	7	21	28
Very Heavy	7	21	28

Surgical treatment, heart valve replacement.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	56	70	84
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Aortic Valve Stenosis
Length of Disability
Disability may be permanent.

Surgical treatment, heart valve replacement.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	56	70	84
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Arrhythmia
Length of Disability
The individual's response to treatment and severity of symptoms will influence the length of disability. Contact physician for additional information.

Arterial Embolism and Thrombosis
Length of Disability
Disability is largely determined by the location of the embolism or thrombosis. Disability may be permanent for individuals engaged in physically demanding work. A functional rehabilitation program may facilitate recovery and shorten the period of disability. Contact physician for additional information.

Atrial Fibrillation
Length of Disability
Disability depends on job requirements

Medical treatment, atrial fibrillation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	7	14
Heavy	7	14	120
Very Heavy	7	14	120

Atrio ventricular Block, Complete (Third-Degree)
Complete atrio ventricular block.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	42
Light	14	21	42
Medium	28	28	56
Heavy	28	28	84
Very Heavy	56	56	84

Block, Incomplete (Second-Degree)
Surgical treatment, type II Mobitz.

Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	42
Light	14	21	42
Medium	28	28	56
Heavy	28	28	84
Very Heavy	56	56	84

Block, Incomplete (First-Degree)
Length of Disability
Disability is not expected.

Bundle Branch Block
Length of Disability
Disability may be permanent.

Bundle branch block.

Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	42
Light	14	21	42
Medium	28	28	56
Heavy	28	28	84
Very Heavy	56	56	84

Cardiac Catheterization
Length of Disability
Disability from the diagnostic procedure itself is brief. The length of disability if a therapeutic procedure is performed depends on the specific procedure and individual recovery time.

Surgical treatment, cardiac catheterization.

Job Classification	Minimum	Optimum	Maximum
Sedentary	3	5	5
Light	3	5	5
Medium	5	7	10
Heavy	5	7	10
Very Heavy	7	10	14

Cardiomyopathy
Length of Disability
Disability may be permanent.

Medical treatment, cardiomyopathy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	28	Indefinite
Light	7	28	Indefinite
Medium	21	42	Indefinite
Heavy	28	56	Indefinite
Very Heavy	28	56	Indefinite

CorPulmonale, Acute and Chronic
Length of Disability
Duration depends on cardiac function. Disability may be permanent.

Coronary Arteriography
Length of Disability
No disability is expected for this procedure. Disability may occur as a result of an underlying condition.

Coronary arteriography.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	7

Coronary Atherosclerosis
Length of Disability
Duration depends on the condition's severity and which arteries are involved. Contact physician for additional information.

Coronary Bypass
Length of Disability
Disability may be permanent.

Surgical treatment, coronary bypass.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	84
Light	42	56	84
Medium	56	70	91
Heavy	56	84	112
Very Heavy	56	112	140

Embolism, Pulmonary
Length of Disability
Disability may be permanent for individuals with medical treatment requiring thrombolytics or pulmonary embolectomy. Treatment with anticoagulant drugs usually is continued for an average of 6 months following the episode (NHLBI). For surgical treatment (pulmonary embolectomy), durations reflect recovery from procedure only.

Medical treatment, pulmonary embolism.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	14	21	35
Heavy	28	42	49
Very Heavy	28	42	49

Surgical treatment, pulmonary embolectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	112
Light	42	56	112
Medium	56	70	Indefinite
Heavy	56	84	Indefinite
Very Heavy	56	112	Indefinite

Surgical treatment, prophylaxis - vena cava interruption, intravascular, IVC umbrella.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	42
Light	7	14	56
Medium	14	21	84
Heavy	84	91	112
Very Heavy	84	98	112

Surgical treatment, prophylaxis - distal vein ligation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	56
Light	14	21	91
Medium	28	35	140
Heavy	84	112	168
Very Heavy	84	112	182

Surgical treatment, prophylaxis - open vena cava interruption

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	56
Light	28	35	91
Medium	42	49	140
Heavy	84	112	168
Very Heavy	84	112	182

Endocarditis, Bacterial
Length of Disability
If valve replacement surgery is required or significant complications develop, the length of disability will be extended and may be permanent. Valve replacement surgery requiring anticoagulation medication may also extend or cause permanent disability.

Medical treatment, bacterial endocarditis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	28	42
Light	7	28	42
Medium	14	42	56
Heavy	21	56	70
Very Heavy	21	56	70

Surgical treatment, valvotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	42
Light	14	28	42
Medium	28	49	70
Heavy	42	70	Indefinite
Very Heavy	42	70	Indefinite

Surgical treatment, heart valve replacement.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	56	70	84
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Heart Block
Length of Disability
Disability does not usually occur in individuals with first-degree or Mobitz type I heart block. For more severe forms of heart block, disability may be permanent if job requirements are physically demanding. Contact physician for additional information.

Heart Failure, Congestive
Length of Disability
Disability may be permanent.

Medical treatment, congestive heart failure.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	42	Indefinite
Light	21	42	Indefinite
Medium	28	56	Indefinite
Heavy	28	84	Indefinite
Very Heavy	28	112	Indefinite

Heart Valve Replacement
Length of Disability
Disability may be permanent.

Surgical treatment, heart valve replacement.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	56	70	84
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Hypertension
Length of Disability
No disability is expected for individuals with mild benign hypertension that responds to treatment, but complications may prolong disability depending on their severity.

High blood pressure, benign.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	5

Hypertensive Heart Disease
Length of Disability
Disability may be permanent.

Medical treatment, hypertensive heart disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	7	21	42
Heavy	7	28	56
Very Heavy	7	28	56

Mitral Regurgitation
Length of Disability
Disability may be permanent.

Medical treatment, mitral regurgitation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	14	42
Light	1	14	42
Medium	1	28	56
Heavy	1	28	56
Very Heavy	1	28	56

Surgical treatment, heart valve replacement.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	56	70	84
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Mitral Stenosis
Length of Disability
For individuals with medical treatment, duration depends on severity of symptoms. Disability may be permanent for heavy and very heavy work.

Surgical treatment, balloon valvuloplasty.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	14	21	28
Heavy	14	21	28
Very Heavy	21	28	35

Surgical treatment, open mitral commissurotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	56	70	84
Heavy	84	98	112
Very Heavy	84	98	112

Mitral Valve Prolapse
Length of Disability
There is no disability expected without associated complications.

Medical treatment, mitral valve prolapse.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	14	42
Light	0	14	42
Medium	0	28	56
Heavy	0	28	56
Very Heavy	0	28	56

Myocardial Infarction, Acute
Length of Disability
In some situations, disability may be permanent. If a major portion of the heart muscle mass died in the infarction, the individual may permanently not have enough residual ability of the heart to support vigorous activity.

Acute myocardial infarction.Recurrent infarction, or with significant comorbidity, or large infarct with reduced ejection fraction (< 50%) / Congestive heart failure.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	42	112
Light	14	42	112
Medium	14	56	182
Heavy	14	56	Indefinite
Very Heavy	14	84	Indefinite

Acute myocardial infarction.First infarct, no complications. No significant comorbidity, normal or near normal ejection fraction (> 50%).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	28
Medium	14	28	56
Heavy	28	56	112
Very Heavy	28	56	112

Myocardial Perfusion Scan
Length of Disability
This diagnostic test does not produce disability.

Myocardial perfusion scan.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	1	2

Myocarditis, Acute
Length of Disability
Duration depends on job demands, severity, underlying cause, and response to treatment. Disability may be permanent if heart damage is severe.

Medical treatment, acute myocarditis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	28	84
Light	7	28	84
Medium	14	42	112
Heavy	21	42	112
Very Heavy	21	56	168

Pericarditis, Chronic Constrictive
Length of Disability
Disability may be permanent.

Medical treatment, chronic constrictive pericarditis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	7	21	42
Heavy	7	21	42
Very Heavy	7	28	56

Surgical treatment, pericardiectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	28	35	42
Heavy	42	49	56
Very Heavy	42	49	56

Premature Beats
Length of Disability
This is a vague diagnosis. Disability depends on the underlying condition. Contact physician for additional information.

Prinzmetal's Angina
Length of Disability
If significant coronary artery disease (CAD) is also present, the length of disability is usually that of the CAD or any complications associated with treatment.

Coronary artery spasm without significant coronary artery disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	21

Sick Sinus Syndrome
Length of Disability
Permanent disability is not expected; however, the presence and severity of congestive heart failure may result in a period of disability.

Surgical treatment, pacemaker insertion.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	4	7
Light	3	4	7
Medium	7	14	21
Heavy	14	21	28
Very Heavy	14	21	28

Stokes-Adams Syndrome
Length of Disability
Durations reflect recovery from procedure only.

Surgical treatment, pacemaker insertion.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	4	7
Light	3	4	7
Medium	7	14	21
Heavy	14	21	28
Very Heavy	14	21	28

Tachycardia, Paroxysmal Supra ventricular
Length of Disability
Disability may be permanent for certain complications such as stroke, congestive heart failure, and myocardial ischemia or infarction.

Medical treatment, paroxysmal supra ventricular tachycardia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	1	3	14
Medium	1	7	14
Heavy	1	14	28
Very Heavy	1	14	28

Radio frequency ablation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	4	7
Light	3	4	7
Medium	7	14	21
Heavy	14	21	28
Very Heavy	14	21	28

Valvotomy
Length of Disability
Duration depends on the severity of the underlying condition. In some cases, disability may be permanent.

Surgical treatment, valvotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	42
Light	14	28	42
Medium	28	49	70
Heavy	42	70	Indefinite
Very Heavy	42	70	Indefinite

Valvuloplasty, Balloon
Length of Disability
Durations reflect recovery from procedure only. Durations may be affected by the level of residual heart valve disease.

Surgical treatment, balloon valvuloplasty.

DURATION IN DAYS			
Job Classificaion	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	14	21	28
Heavy	14	21	28
Very Heavy	21	28	35

Ventricular Fibrillation
Length of Disability
The duration of disability is related to the underlying cause of the VF and the subsequent extent of cardiac damage and neurological impairment. Disability may be permanent.

Medical treatment, ventricular fibrillation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	16	42	Indefinite
Light	21	42	Indefinite
Medium	28	56	Indefinite
Heavy	42	70	Indefinite
Very Heavy	42	84	Indefinite

Ventricular Premature Contractions
Length of Disability
Disability is not usually associated with this condition, though disability can be permanent if the individual has severe underlying heart disease and is unresponsive to treatment, or develops complications.

Ventricular Tachycardia
Length of Disability
Disability may be permanent.

Ventricular tachycardia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	42	Indefinite
Light	14	42	Indefinite
Medium	21	56	Indefinite
Heavy	28	56	Indefinite
Very Heavy	42	56	Indefinite

CEREBRO VASCULAR

- Amnesia
- Aphasia
- Brain Injury
- Carotid Artery Occlusion
- Cerebral Aneurysm (Non-Ruptured)
- Cerebral Hemorrhage
- Cerebrovascular Accident
- Cerebrovascular Disease
- Encephalopathy
- Epidural Hematoma
- Subarachnoid Hemorrhage (Non-Traumatic)
- Subdural Hemorrhage
- Transient Ischemic Attack

Amnesia
Length of Disability
Because effective, or at least basic, communication is needed for competitive employment of any type, disability may be permanent regardless of specific job duties.

Medicaltreatment,aphasia(mild,partial).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	28	Indefinite

Length of Disability
Duration depends on severity of injury. Disability may be permanent.

Medical treatment, mild concussion.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	42

Carotid Artery Occlusion
Length of Disability
Duration depends on extent of disease, surgical procedure, and job demands.

Surgical treatment, carotid end arterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	21	28	35
Medium	28	35	42
Heavy	42	49	56
Very Heavy	42	49	56

Length of Disability
Length of disability depends on job requirements and extent of neurological damage ,if any . Disability may be permanent.

Surgical treatment, non-ruptured cerebral aneurysm.

DURATION IN DAYS			
Job Classification	Minimum	Optimum	Maximum
Any Work	5	14	Indefinite

Length of Disability
Disability may be permanent.

Surgical treatment, craniotomy or craniectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	Indefinite
Light	35	42	Indefinite
Medium	42	70	Indefinite
Heavy	42	84	Indefinite
Very Heavy	42	84	Indefinite

Surgical treatment, cerebral aneurism.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	Indefinite
Light	42	56	Indefinite
Medium	56	70	Indefinite
Heavy	70	84	Indefinite
Very Heavy	70	84	Indefinite

Length of Disability
Disability may be permanent.

Cerebro vascular accident.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	63	Indefinite
Light	28	63	Indefinite
Medium	28	70	Indefinite
Heavy	28	91	Indefinite
Very Heavy	28	91	Indefinite

Surgical treatment, craniotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	Indefinite
Light	35	42	Indefinite
Medium	42	56	Indefinite
Heavy	42	56	Indefinite
Very Heavy	42	56	Indefinite

Length of Disability
Disability may be permanent.

Sub arachnoid hemorrhage (non-traumatic).

DURATION IN DAYS			
Job Classification	Minimum	Optimum	Maximum
Any Work	91	182	Indefinite

Length of Disability
Disability may be permanent.

Surgical treatment, subdural hemorrhage.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	Indefinite
Light	35	42	Indefinite
Medium	42	56	Indefinite
Heavy	42	56	Indefinite
Very Heavy	42	56	Indefinite

Length of Disability

Medical treatment , transient ischemic attack.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Surgical treatment, carotid end arterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	21	28	35
Medium	28	35	42
Heavy	42	49	56
Very Heavy	42	49	56

CIRCULATORY

- **Abdominal Aneurysm**
- **Aneurysmectomy**
- **Aortic Aneurysm**
- **Arterial Embolism And Thrombosis**
- **Arterial Graft**
- **Arteriosclerotic Gangrene**
- **Atherosclerosis And Arteriosclerosis**
- **Buerger's Disease**
- **Cerebral Aneurysm (Non-Ruptured)**
- **Deep Vein Thrombosis**
- **Epilepsy**
- **Esophageal Varices**
- **Hemorrhoids**
- **Hypotension**
- **Ligation And Stripping Of Varicose Veins**
- **Lymphangitis**
- **Osler-Weber-Rendu Disease**

1 - Abdominal Aneurysm

Endo vascular repair, abdominal aortic aneurysm.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	10	21	28
Medium	21	28	42
Heavy	28	42	64
Very Heavy	35	64	91

Surgical treatment, open abdominal aortic aneurysmectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	70	84
Light	49	84	98
Medium	56	105	112
Heavy	84	140	168
Very Heavy	84	140	182

2 - Aneurysmectomy

Length of Disability

Duration of disability depends on job requirements. Disability may be permanent if the individual performs heavy work.

Surgical treatment, cerebral aneurism.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	Indefinite
Light	42	56	Indefinite
Medium	56	70	Indefinite
Heavy	70	84	Indefinite
Very Heavy	70	84	Indefinite

Surgical treatment ,abdominal or thoracic aortic aneurysmectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	56	70	Indefinite
Light	56	84	Indefinite
Medium	56	105	Indefinite
Heavy	84	140	Indefinite
Very Heavy	84	140	Indefinite

3 – Aortic Aneurysm
Surgical treatment, aortic aneurysmectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	56	70	Indefinite
Light	56	84	Indefinite
Medium	56	105	Indefinite
Heavy	84	140	Indefinite
Very Heavy	84	140	Indefinite

4 – Arterial Embolism and Thrombosis
Length of Disability
Disability is largely determined by the location of the embolism more thrombosis. Disability may be permanent for individuals engaging physically demanding work..

5 – Arterial Graft
Surgical treatment, open abdominal aortic aneurysmectomy and graft.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	70	84
Light	49	84	98
Medium	56	105	112
Heavy	84	140	168
Very Heavy	84	140	182

6 – Arteriosclerotic Gangrene
Length of Disability
Duration depends up on severity and the limb or organ system involved.

7 - Atherosclerosis and Arteriosclerosis
Length of Disability
There is usually no disability with a therosclerosis itself.

8 - Buerger's Disease
Length of Disability
Disability may be permanent.

Medical treatment, Buerger's disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	Indefinite
Light	14	28	Indefinite
Medium	28	42	Indefinite
Heavy	42	56	Indefinite
Very Heavy	42	56	Indefinite

9 Cerebral Aneurysm (Non-Ruptured)
Surgical treatment ,non-ruptured cerebral aneurysm.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	5	14	Indefinite

10 Deep Vein Thrombosis
Length of Disability
Duration depends on specific diagnosis andtreatment. Contact physician for additional information.

11 Epilepsy
Medical treatment ,epilepsy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	28

Sclerotherapy or ligation, esophageal varices.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	56
Light	28	42	70
Medium	42	63	84
Heavy	56	70	112
Very Heavy	56	70	112

Surgical treatment ,portal systemic shunt.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	56	63	70
Light	70	77	84
Medium	84	98	112
Heavy	112	126	182
Very Heavy	112	126	182

13 - Hemorrhoids
Medical treatment ,hemorrhoids.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	3
Light	0	1	3
Medium	0	1	3
Heavy	0	1	3
Very Heavy	0	1	3

Sclerotherapy ,hemorrhoids.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	2	3
Medium	1	3	7
Heavy	1	4	7
Very Heavy	1	4	7

Rubber band ligation and cryosurgery ,hemorrhoids.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	21
Light	1	7	21
Medium	1	7	21
Heavy	1	7	21
Very Heavy	1	7	21

Surgical treatment ,hemorrhoidectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	42
Heavy	21	35	42
Very Heavy	21	35	42

14 -Ligation and Stripping of Varicose Veins
Surgical treatment ,ligation and stripping of varicose veins.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	14	21	28
Heavy	21	28	35
Very Heavy	21	28	35

15- Lymphangitis
Medical treatment, lymphangtis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	**2**	**3**	**14**
Light	**3**	**4**	**14**
Medium	**7**	**9**	**14**
Heavy	**7**	**9**	**14**
Very Heavy	**7**	**9**	**14**

16-Osler-Weber-Rendu Disease
Medical treatment, Osler-Weber-Rendu disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	5	10
Light	3	5	10
Medium	3	5	10
Heavy	5	7	15
Very Heavy	5	7	15

17-Peripheral Vascular Disease
Medical treatment, Peripheral vascular disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	7	21	42
Heavy	7	28	Indefinite
Very Heavy	7	28	Indefinite

18-Polyarteritis Nodosa
Length of Disability
Permanent disability is a possibility, because this condition is managed, not cured. Relapse is common.

Medical treatment , poly arteritis nodosa.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	28	Indefinite

19-Sclerotherapy
Terms
Esophageal Varices Injection
Hemorrhoid Injection
Sclerotherapy , esophageal varices.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**

Sedentary	14	28	56
Light	28	42	70
Medium	42	63	84
Heavy	56	70	112
Very Heavy	56	70	112

Sclerotherapy, hemorrhoids.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	2	3
Medium	1	3	7
Heavy	1	4	7
Very Heavy	1	4	7

Sclerotherapy,varicose veins.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	4	7
Light	3	4	7
Medium	7	9	14
Heavy	7	9	14
Very Heavy	7	9	14

20-Temporal Arteritis
Length of Disability
Remission is common,but disability may be permanent.

Medical treatment,temporal arteritis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	21	42

21-Thoracic Aneurysm
Medical treatment, non-ruptured thoracic aneurysm.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	5
Light	1	3	5
Medium	1	3	5
Heavy	3	5	10
Very Heavy	3	5	10

Surgical treatment, thoracic aortic aneurysmectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	56	70	Indefinite
Light	56	84	Indefinite
Medium	56	105	Indefinite
Heavy	84	140	Indefinite
Very Heavy	84	140	Indefinite

22-Thrombectomy

Surgical treatment ,thrombectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	28	35	42
Heavy	91	119	182
Very Heavy	91	119	182

23-Thrombocytopenia

Length of Disability

Contact physician to obtain more information regarding the underlying cause.

24-Thrombophlebitis

Medical treatment , lower extremity, superficial veins.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	5	10
Medium	3	7	14
Heavy	7	10	21
Very Heavy	14	14	28

Surgical treatment, ligation and stripping of varicose veins .Lower extremity, superficial veins.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	14	21	28
Heavy	21	28	35
Very Heavy	21	28	35

Medical treatment ,lower extremity, deep veins .

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	5	14	21
Light	7	14	28
Medium	14	21	56
Heavy	21	42	84
Very Heavy	35	56	91

Surgical treatment ,thrombectomy .Lower extremity ,deep veins.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	35	42
Medium	28	56	63
Heavy	49	63	84
Very Heavy	56	70	91

25-Varicocele

Surgical treatment ,intraluminal ablation of spermatic vein .

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	4	7
Light	3	4	7
Medium	7	9	14
Heavy	7	9	14
Very Heavy	7	9	14

Surgical treatment, ligation of spermatic vein .

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	7	14	21
Heavy	7	14	21
Very Heavy	7	21	28

26-Varicose Ulcer
Medical treatment ,small ulcer.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	14	21	28
Heavy	14	21	28
Very Heavy	14	21	28

Medical treatment ,large ,chronic or extensive ulceration.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	28	56
Light	7	28	56
Medium	7	28	56
Heavy	7	28	56
Very Heavy	7	28	56

Surgical treatment ,skin graft.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	42	56
Light	14	42	56
Medium	28	56	70
Heavy	28	56	70
Very Heavy	28	56	70

27-Varicose Veins
Length of Disability
Sclera therapy, varicose veins.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	4	7
Light	3	4	7
Medium	7	9	14
Heavy	7	9	14
Very Heavy	7	9	14

Surgical treatment ,ligation and stripping of varicose veins.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	14	21	28
Heavy	21	28	35
Very Heavy	21	28	35

28-VenousThrombosis and Embolism

Length of Disability

Length of disability depends on job requirements and whether complications occur .a more specific diagnosis is required to determine disability duration. Contact physician for additional information.

Ear, Nose & Throat

- Abscess Aspiration Biopsy
- Cochlear Implant Evoked Potentials
- Excision of Lesion or Tissue of Skin and Subcutaneous Tissue
- Hearing Loss Labyrinthitis
- Mastoidectomy
- Mastoiditis
- Ménière's Disease
- Myringotomy
- Nasal Polypectomy
- Fracture, Nose
- Operations On Uvula
- Otitis Media
- Otosclerosis
- Pain, Chronic Rhinoplasty
- Septoplasty
- Stapedectomy
- Tinnitus
- Tonsillectomy And Adenoidectomy
- Tympanoplasty
- Tympanum Perforation
- Vertigo
- Vestibular Neuronitis

Abscess
Length of Disability
Duration depends on site, comorbidities, and complications.
Please see the duration tables in the following abscess topics for additional information on length of disability: Larynx, Peritonsillar.

Aspiration
Length of Disability
No disability is expected for the procedure itself.
Biopsy

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	3

Cochlear Implant
Surgical treatment, cochlear implant.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	21	28

Evoked Potentials
Length of Disability
No disability is expected to result from this procedure. Disability may occur as a result of an underlying condition.

Excision of Lesion or Tissue of Skin and Subcutaneous Tissue
Excision of lesion or skin

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	3

Hearing Loss
Surgical treatment, myringotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	3
Light	1	1	3
Medium	1	1	3
Heavy	1	1	3
Very Heavy	1	1	3

Surgical treatment, tympanoplasty.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	5
Light	4	6	7
Medium	7	10	14
Heavy	7	10	14
Very Heavy	7	10	14

Surgical treatment, stapedectomy

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	4	7	7
Light	10	10	14
Medium	10	14	21
Heavy	21	21	28
Very Heavy	28	28	28

Surgical treatment, cochlear implant

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	14	21	28
Heavy	14	21	28
Very Heavy	14	21	28

Surgical treatment, mastoidectomy

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	35	42

Labyrinthitis
Medical treatment, labyrinthitis

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	7	14

Mastoidectomy
Surgical treatment, mastoidectomy

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	35	42

Mastoiditis
Medical treatment, mastoiditis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	7	14	21
Heavy	7	14	21
Very Heavy	7	14	21

Surgical treatment, mastoidectomy

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	35	42

Ménière's Disease
Length of Disability
Disability may be permanent in some cases.
Medical treatment, Ménière's disease.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	7	14

Myringotomy
Surgical treatment, myringotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	1	3

Nasal Polypectomy
Surgical treatment, nasal polypectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	2	7
Light	0	2	7
Medium	0	2	7
Heavy	1	2	7
Very Heavy	1	2	7

Nose bleed and Control of Nose bleed
Medical treatment, nosebleed.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	1

Fracture, Nose

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	4	7
Heavy	1	7	14
Very Heavy	1	7	14

Operations on Uvula
Surgical treatment, laser assisted uvulopalatoplasty.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	10	14
Light	7	10	21
Medium	7	14	21
Heavy	14	21	28
Very Heavy	14	21	28

Surgical treatment, uvul palate pharyngoplasty.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	10	14
Light	7	10	21
Medium	7	14	21
Heavy	14	21	28
Very Heavy	14	21	28

Otitis Media
Medical treatment, acute otitis media.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	7

Otosclerosis
Surgical treatment, stapedectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	4	7	7
Light	10	10	14
Medium	10	14	21
Heavy	21	21	28
Very Heavy	28	28	28

Pain, Chronic
Length of Disability
Duration depends on specific diagnosis. Although persons with this diagnosis may self-limit their work or social activities, there may be no objective medical basis for disability. This is a controversial diagnosis. Contact physician for additional information.

Rhinoplasty
For reconstructive purpose only not for cosmetic

Surgical treatment, rhinoplasty.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	7	14	21
Heavy	7	14	21
Very Heavy	7	14	21

Septoplasty
Surgical treatment, septoplasty.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	10	14
Light	3	10	14
Medium	3	14	21
Heavy	7	14	21
Very Heavy	7	14	21

Stapedectomy
Surgical treatment, stapedectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	4	7	7
Light	10	10	14
Medium	10	14	21
Heavy	21	21	28
Very Heavy	28	28	28

Tinnitus
Medical treatment, tinnitus.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	0	1

Tonsillectomy and Adenoidectomy
Surgical treatment, tonsillectomy/adenoidectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	21

Tympanoplasty
Surgical treatment, tympanoplasty.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	5
Light	4	6	7
Medium	7	10	14
Heavy	7	10	14
Very Heavy	7	10	14

Tympanum Perforation
Medical treatment, tympanum perforation.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	3	7
Heavy	1	3	7
Very Heavy	1	3	7

Surgical treatment, tympanoplasty.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	5
Light	4	6	7
Medium	7	10	14
Heavy	7	10	14
Very Heavy	7	10	14

Surgical treatment, mastoidectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	35	42

Vertigo
Medical treatment, vertigo.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	7	14

Vestibular Neuronitis
Medical and/or supportive treatment, vestibular neuronitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	10	14

EYE DISORDERS

Abscess
Duration depends on site, comorbidities, and complications

Amblyopia, Toxic
Length of Disability
Disability may be permanent if condition is not treated promptly.

Medical treatment, acute episode amblyopia.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	14

Astigmatism
Length of Disability
Surgical treatment, LASIK or PRK.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	3

Blepharitis
Medical treatment, blepharitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	2	3

Blindness
Length of Disability
Physical disability may be limited, but in general, blindness is permanent. Disability is determined on a case-by-case basis. For certain occupations, disability may be permanent. Contact physician for additional information.

Cataract
Surgical treatment, cataract.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	1	3	14
Medium	3	7	14
Heavy	7	14	28
Very Heavy	7	21	35

Cataract Surgery
Surgical treatment, cataract.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	1	3	14
Medium	3	7	14
Heavy	7	14	28
Very Heavy	7	21	35

Chorio retinitis

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	10	14
Light	7	10	14
Medium	7	10	21
Heavy	7	14	21
Very Heavy	7	14	21

Conjunctivitis
Medical treatment, conjunctivitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	10

Corneal Transplant
Surgical treatment, corneal transplant.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	28	35	42
Heavy	42	56	84
Very Heavy	42	56	91

Corneal Ulcer
Medical treatment, corneal ulcer in one eye.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	5	10

Dacryocystitis
Surgical treatment, dacryocystitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	5	10
Light	2	5	10
Medium	3	5	14
Heavy	3	5	14
Very Heavy	3	5	14

Dacryostenosis
Surgical treatment, dacryo stenosis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	5	10
Light	2	5	10
Medium	3	5	14
Heavy	3	5	14
Very Heavy	3	5	14

Diabetic Retinopathy
Dry Eye Syndrome
Medical treatment, dry eye syndrome.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	1	1

Endophthalmitis

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	7	14	28
Heavy	14	21	42
Very Heavy	14	21	42

Glaucoma, Acute (Angle-Closure)
Medical treatment, acute glaucoma.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	2	3
Medium	1	2	3
Heavy	1	2	3
Very Heavy	1	2	3

Laser treatment, iridotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	2	3	7
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Surgical treatment, open iridectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	14	21	28
Heavy	14	21	28
Very Heavy	14	21	28

Glaucoma, Chronic (Open-Angle)
Medical treatment, chronic glaucoma.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	3
Light	1	1	3
Medium	1	2	3
Heavy	1	2	3
Very Heavy	1	2	3

Laser treatment, trabeculoplasty.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	3	4	7
Medium	3	4	7
Heavy	7	9	14
Very Heavy	7	9	14

Surgical treatment, trabeculectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	10	14
Light	3	10	14
Medium	14	21	28
Heavy	14	21	42
Very Heavy	14	21	42

Iridotomy/Iridectomy
Laser treatment, iridotomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	2	3	7
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Surgical treatment, open iridectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	14	21	28
Heavy	14	21	28
Very Heavy	14	21	28

Iritis
Medical treatment, iritis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	14

Keratitis
Medical treatment, keratitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	7	14

Keratoconus
Medical treatment, keratoconus.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	3	7
Heavy	1	3	7
Very Heavy	1	3	7

Surgical treatment, corneal transplant.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	28	35	42
Heavy	42	56	84
Very Heavy	42	56	91

Laser Vision Correction
Surgical treatment, LASIK or PRK.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	3

Myopia
Length of Disability
In most instances, no disability is expected.
Surgical treatment, LASIK or PRK.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	1	3

Optic Atrophy
Length of Disability
Permanent, complete, or partial blindness might result. Disability may be permanent. Contact physician for additional information.

Optic Neuritis
Length of Disability
The extent of temporary or permanent visual impairment may result in long-term or permanent disability. Contact physician for more information.

Pain, Chronic
Length of Disability
Duration depends on specific diagnosis. Although persons with this diagnosis may self-limit their work or social activities, there may be no objective medical basis for disability. This is a controversial diagnosis. Contact physician for additional information.

Pterygium
Factors Influencing Duration
The severity of the condition, type of treatment, individual response to treatment, and presence complications may influence length of disability.

Surgical treatment, pterygium.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	7

Retinal Detachment
Laser treatment or photocoagulation, retinal tear repair.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	4	7
Light	3	4	7
Medium	3	4	14
Heavy	3	14	28
Very Heavy	3	14	28

Surgical treatment, retinal detachment repair.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	14	28
Heavy	3	14	28
Very Heavy	3	14	28

Retinal Detachment Repair
Related Terms
Cryoretinopexy
Cryotherapy
Laser Photocoagulation
Photocoagulation
Pneumatic Retinopexy
Retinal Attachment
Laser treatment or photocoagulation, retinal tear repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	4	7
Light	3	4	7
Medium	3	4	14
Heavy	3	14	28
Very Heavy	3	14	28

Surgical treatment, retinal detachment repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	14	28
Heavy	3	14	28
Very Heavy	3	14	28

Retinal Vascular Occlusion
Retinitis Pigmentosa
Scleritis
Medical treatment, scleritis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	10
Light	3	7	10
Medium	3	7	10
Heavy	3	7	10
Very Heavy	3	7	10

Surgical treatment, cataract.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	1	3	14
Medium	3	7	14
Heavy	7	14	28
Very Heavy	7	21	35

Stye
Length of Disability
Disability is not likely. Recurrence is common.

Surgical drainage, stye.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	2
Light	0	2	3
Medium	0	2	7
Heavy	0	2	10
Very Heavy	0	2	14

Trabeculectomy
Length of Disability
Duration of disability is longer for individuals performing heavy work or considerable amounts of bending or lifting. In some cases disability may be permanent.

Surgical treatment, trabeculectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	10	14
Light	3	10	14
Medium	14	21	28
Heavy	14	21	42
Very Heavy	14	21	42

Trabeculoplasty
Laser treatment, trabeculoplasty.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	3	4	7
Medium	3	4	7
Heavy	7	9	14
Very Heavy	7	9	14

Uveitis
Medical treatment, uveitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Surgical treatment, cataract.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	1	3	14
Medium	3	7	14
Heavy	7	14	28
Very Heavy	7	21	35

CHEMICAL POISONING

1. **Metal Fume Fever**
2. **Toxic Effects, Arsenic and Compounds**
   Length of Disability
   Once the individual is removed from the exposure, and is treated accordingly, the individual's overall health will improve over time. Some symptoms (e.g., neuropathy) may take several months or years to completely resolve. In some cases, there may be residual permanent disability despite prompt diagnosis and appropriate treatment. Contact physician for additional information.

3. **Toxic Effects, Beryllium**
   Length of Disability
   The duration of disability in individuals with CBD depends on the degree of pulmonary insufficiency and the response to treatment. It is highly variable and some degree of permanent disability is not uncommon. Contact physician for additional information.

4. **Toxic Effects, Cadmium**

5. **Toxic Effects, Carbon Disulfide**
   Length of Disability
   In some cases where exposure has been extreme, disability may be permanent. Contact physician for additional information.

6. **Toxic Effects, Carbon Monoxide**
   Length of Disability
   Disability may be permanent in some cases. Contact physician for additional information.

7. **Toxic Effects, Chlorinated Hydrocarbon Solvents**
   Length of Disability
   In some cases, disability may be permanent. Contact physician for additional information.

8. **Toxic Effects, Chlorine**
   Length of Disability
   Disability may be permanent. Contact physician for additional information.

9. **Toxic Effects, Formaldehyde**
   Length of Disability
   The levels and length of time exposed, method of exposure, immediacy of treatment, and the individual response to exposure and treatment will determine length of disability. Contact physician for additional information.

10. **Toxic Effects, Hydrochloric Acid**
    Length of Disability
    The levels and length of time exposed, method of exposure, immediacy of treatment, and the individual response to exposure and treatment will determine length of disability. Contact physician for additional information.

11. **Toxic Effects, Hydrofluoric Acid**
    Length of Disability
    Absorbed dose is the primary determinant of severity of toxic effects, and therefore severity and duration of disability. Absorbed dose is dependent on environmental levels, routes of exposure (skin contact, inhalation, ingestion) and duration of exposure. Contact physician for additional information.

12. **Toxic Effects, Isopropyl Alcohol**
    Length of Disability
    The levels and length of time exposed, method of exposure, immediacy of treatment, and the individual response to exposure and treatment will determine length of disability. Contact physician for additional information.

13. **Toxic Effects, Lead (Inorganic Compounds)**
    Length of Disability
    Disability may be permanent. Contact physician for additional information.

14. **Toxic Effects, Mercury**
    Length of Disability
    Absorbed dose is the primary determinant of severity of toxic effects, and therefore severity and duration of disability. Absorbed dose is dependent on environmental levels, routes of exposure (skin contact, inhalation, ingestion) and duration of exposure. Contact physician for additional information.

15. **Toxic Effects, Methyl Alcohol**
    Length of Disability
    Disability may be permanent where repeated and/or high level exposure occurs. Absorbed dose is the primary determinant of severity of toxic effects, and therefore severity and duration of disability. Absorbed dose is dependent on environmental levels, routes of exposure (skin contact, inhalation, ingestion) and duration of exposure. Contact physician for additional information.

16. **Toxic Effects, Methyl Bromide**
    Length of Disability
    Disability may be permanent. Contact physician for additional information.

17. **Toxic Effects, Nickel and Inorganic Compounds**
    Length of Disability
    Full recovery is normally expected.

18. **Toxic Effects, Organophosphate and Carbamate Pesticides**
    Length of Disability
    In some cases, residual disability may be permanent. Contact physician for additional information.

Dental Disorders

Abscess
Length of Disability
Duration depends on site, comorbidities, and complications..

Dental Disorder
Medical treatment, dental disorders.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	0	1

Dentoalveolar Abscess
Medical treatment, dentoalveolar abscess.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	3

Gingival Abscess
Surgical treatment, gingivectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	7

Gingivectomy
Gingivitis
Medical treatment, gingivitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	0	1

Impacted Tooth
Surgical treatment, extraction.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	3

Ludwig's Angina
Medical treatment, Ludwig's angina.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	9	14

Periodontitis
Surgical treatment, gingivectomy.

	DURATION IN DAYS

Job Classification	Minimum	Optimum	Maximum
Any Work	1	3	7

Root Canal Therapy
Medical treatment, root canal therapy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	2

Salivary Gland Stones
Medical treatment, dilation and removal of salivary gland stone.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	7
Light	1	2	7
Medium	1	2	7
Heavy	1	2	7
Very Heavy	1	2	7

Surgical treatment, salivary gland excision.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	14	16	21
Heavy	14	16	21
Very Heavy	14	16	21

Temporomandibular Joint Syndrome
Medical treatment, temporo mandibular joint syndrome.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	2

Tooth Extraction
Surgical treatment, single tooth extraction.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	1	3

Surgical treatment, multiple tooth extraction or bone recontouring.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	5

GASTROENTEROLOGY

Abdominal Adhesions

Surgical treatment, laparoscopic lysis of adhesions.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	**1**	**3**	**7**
Light	**1**	**3**	**7**
Medium	**3**	**7**	**10**
Heavy	**7**	**14**	**28**
Very Heavy	**7**	**21**	**35**

Surgical treatment, lysis of adhesions with colostomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	21	28	35
Medium	28	42	56
Heavy	42	49	84
Very Heavy	42	56	91

Surgical treatment, lysis of adhesions without colostomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	14	21	28
Medium	21	28	35
Heavy	42	49	56
Very Heavy	42	56	70

Abdominoperineal Resection of Rectum

Surgical treatment, abdominoperineal resection of rectum.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	56
Light	28	35	91
Medium	42	56	112
Heavy	56	91	126
Very Heavy	56	112	140

Abscess, Ano rectal

Surgical drainage, anorectal abscess.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	7	14	21
Heavy	7	14	28
Very Heavy	7	14	28

Abscess, Ischio rectal
Surgical drainage, ischiorectal abscess.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	7	14	21
Heavy	7	14	28
Very Heavy	7	14	28

Abscess, Liver
Percutaneous drainage, needle aspiration.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	14	21	28
Heavy	14	21	28
Very Heavy	14	21	28

Surgical drainage, liver abscess.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	28	35	42
Heavy	42	49	56
Very Heavy	42	49	56

Abscess, Perirectal
Surgical drainage, perirectal abscess.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	7	14	21
Heavy	7	14	28
Very Heavy	7	14	28

Abscess, Psoas
Surgical drainage, psoas abscess.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	5	10	21
Light	5	10	28
Medium	5	14	42
Heavy	7	28	56
Very Heavy	7	28	56

Abscess, Sub diaphragmatic
Percutaneous drainage, needle aspiration.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	5	7
Light	3	5	7
Medium	3	5	7
Heavy	5	7	14
Very Heavy	5	7	14

Surgical treatment, open drainage of sub diaphragmatic abscess.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	14	21	28
Heavy	14	28	56
Very Heavy	14	28	56

Achalasia
Dilation of esophagus.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	**1**	**2**	**10**

Anal Fissure and/or Rectal Ulcer
Medical treatment, anal fissure and/or rectal ulcer.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	3	7
Medium	0	3	7
Heavy	0	3	7
Very Heavy	0	3	7

Surgical treatment, anal fissure and/or rectal ulcer.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	7	14	21
Heavy	7	14	28
Very Heavy	7	14	28

Ano rectal Fistula

Surgical treatment, ano rectal fistula.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	14	21	42
Heavy	14	21	42
Very Heavy	14	21	42

Appendicitis

Surgical treatment, laparoscopic appendectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	3	7	10
Heavy	7	14	28
Very Heavy	7	21	35

Surgical treatment, open or conventional appendectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	1	7	14
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	28	42

Surgical treatment, ruptured appendix.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	21	28
Light	10	21	28
Medium	14	28	42
Heavy	21	28	49
Very Heavy	28	42	63

Appendectomy

Surgical treatment, laparoscopic appendectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	3	7	10
Heavy	7	14	28
Very Heavy	7	21	35

Surgical treatment, open or conventional appendectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	1	7	14
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	28	42

Surgical treatment, ruptured appendix.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	21	28
Light	10	21	28
Medium	14	28	42
Heavy	21	28	49
Very Heavy	28	42	63

Aspiration
Biopsy

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	3

Cholecystitis
Medical treatment, cholecystitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	7	21
Heavy	3	7	28
Very Heavy	3	7	28

Surgical treatment, laparoscopic cholecystectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	7
Light	3	10	14
Medium	10	14	21
Heavy	14	21	28
Very Heavy	14	28	35

Surgical treatment, open cholecystectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	10	14	35
Medium	14	21	42
Heavy	28	35	49
Very Heavy	35	42	56

Cholelithiasis
Medical treatment or extracorporeal shock wave lithotripsy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	7	21
Heavy	3	7	28
Very Heavy	3	7	28

Surgical treatment, laparoscopic cholecystectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	7
Light	3	10	14
Medium	10	14	21
Heavy	14	21	28
Very Heavy	14	28	35

Surgical treatment, open cholecystectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	10	14	35
Medium	14	21	42
Heavy	28	35	49
Very Heavy	35	42	56

Cholecystectomy
Surgical treatment, laparoscopic cholecystectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	7
Light	3	10	14
Medium	10	14	21
Heavy	14	21	28
Very Heavy	14	28	35

Surgical treatment, open cholecystectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	10	14	35
Medium	14	21	42
Heavy	28	35	49
Very Heavy	35	42	56

Cirrhosis of the Liver
Medical treatment, cirrhosis of the liver.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	14	42
Light	1	14	56
Medium	1	14	Indefinite
Heavy	1	14	Indefinite
Very Heavy	1	14	Indefinite

Colitis
Medical treatment, colitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	3	14
Medium	0	3	35
Heavy	0	3	63
Very Heavy	0	3	70

Surgical treatment, laparoscopic partial colon resection.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	14	21
Light	10	14	21
Medium	14	21	28
Heavy	14	35	42
Very Heavy	14	42	56

Surgical treatment, open partial colon resection.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	35
Light	21	28	42
Medium	28	35	56
Heavy	35	42	84
Very Heavy	42	42	91

Colon Resection

Surgical treatment, laparoscopic partial colon resection.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	14	21
Light	10	14	21
Medium	14	21	28
Heavy	14	35	42
Very Heavy	14	42	56

Surgical treatment, open partial colon resection.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	35
Light	21	28	42
Medium	28	35	56
Heavy	35	42	84
Very Heavy	42	42	91

Colonoscopy

Colonoscopy with or without biopsy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	3

Colorectal Polyps

Endoscopic removal (sigmoidoscopy or colonoscopy).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	3
Light	0	1	3
Medium	0	1	3
Heavy	0	1	3
Very Heavy	0	1	3

Surgical treatment, resection of polyps or polypectomy (partial).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	14	21
Light	10	14	21
Medium	14	21	28
Heavy	14	35	42
Very Heavy	14	42	56

Cancer, Rectum

Surgical treatment, abdominoperineal resection of rectum.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	56
Light	28	35	91
Medium	42	56	112
Heavy	56	91	126
Very Heavy	56	112	140

Rectal Prolapse

Supportive treatment, incomplete rectal prolapse.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Surgical treatment, rectal prolapse.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	14	21	28
Heavy	14	28	35
Very Heavy	21	35	42

Hemorrhoids

Medical treatment, hemorrhoids.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	3
Light	0	1	3
Medium	0	1	3
Heavy	0	1	3
Very Heavy	0	1	3

Sclerotherapy, hemorrhoids.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	2	3
Medium	1	3	7
Heavy	1	4	7
Very Heavy	1	4	7

Rubber band ligation and cryosurgery, hemorrhoids.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	21
Light	1	7	21
Medium	1	7	21
Heavy	1	7	21
Very Heavy	1	7	21

Surgical treatment, hemorrhoidectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	42
Heavy	21	35	42
Very Heavy	21	35	42

Hemorrhoid Treatment
Medical treatment, hemorrhoids.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	3
Light	0	1	3
Medium	0	1	3
Heavy	0	1	3
Very Heavy	0	1	3

Sclerotherapy, hemorrhoids.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	2	3
Medium	1	3	7
Heavy	1	4	7
Very Heavy	1	4	7

Rubber band ligation and cryosurgery, hemorrhoids.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	21
Light	1	7	21
Medium	1	7	21
Heavy	1	7	21
Very Heavy	1	7	21

Surgical treatment, hemorrhoidectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	42
Heavy	21	35	42
Very Heavy	21	35	42

Colostomy and Ileostomy
Surgical treatment, colostomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	21	28	35
Medium	28	42	56
Heavy	42	49	84
Very Heavy	42	56	91

Surgical treatment, ileostomy with bowel resection.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	21	28	35
Medium	28	42	56
Heavy	42	49	84
Very Heavy	42	56	91

Crohn's Disease
Medical treatment, Crohn's disease.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	28
Medium	7	14	42
Heavy	7	14	63
Very Heavy	7	14	84

Surgical treatment, ileostomy with bowel resection.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	21	28	35
Medium	28	42	56
Heavy	42	49	84
Very Heavy	42	56	91

Dilation of Esophagus
The procedure may need to be repeated.
Dilation of esophagus.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	10

Diverticulosis and Diverticulitis of Colon
Length of Disability
The duration of disability in patients with diverticulitis depends on response to conservative treatment, and the need for surgery.

Medical treatment, diverticulosis and diverticulitis of colon.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	1	3	35
Medium	1	3	49
Heavy	1	3	70
Very Heavy	1	3	84

Dumping Syndrome
Medical treatment, dumping syndrome.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	7

Duodenitis
Medical treatment, duodenitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	7

Enterostomy
Length of Disability
Disability may be permanent depending on underlying condition.

Surgical treatment, enterostomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	21
Medium	3	14	28
Heavy	3	14	35
Very Heavy	3	21	42

Esophageal Diverticula
Length of Disability
Durations for open surgery depend on location and size of diverticula.

Medical treatment, esophageal diverticula.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	2
Light	0	1	2
Medium	0	1	2
Heavy	0	1	2
Very Heavy	0	1	2

Surgical treatment, endoscopic diverticulectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	14	21
Light	10	14	21
Medium	10	14	21
Heavy	10	21	28
Very Heavy	10	21	28

Esophageal Spasm
Dilation of esophagus.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	10

Medical treatment, esophageal spasm.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	7	21

Esophageal Varices
Sclerotherapy or ligation, esophageal varices.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	56
Light	28	42	70
Medium	42	63	84
Heavy	56	70	112
Very Heavy	56	70	112

Surgical treatment, portal systemic shunt.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	56	63	70
Light	70	77	84
Medium	84	98	112
Heavy	112	126	182
Very Heavy	112	126	182

Esophagectomy
Surgical treatment, endoscopic esophagectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	21	28
Light	10	21	28
Medium	10	28	42
Heavy	10	28	42
Very Heavy	10	28	42

Esophagitis
Medical treatment, corrosive esophagitis (mild to moderate).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	21	28

Medical treatment, reflux or infectious esophagitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	7

Esophago gastro duodenoscopy
Surgical treatment, laparoscopic excision or destruction of duodenal lesion.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	14	21	28
Heavy	14	21	28
Very Heavy	21	28	42

Surgical treatment, open excision or destruction of duodenal lesion.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	28	35
Medium	28	35	42
Heavy	28	35	42
Very Heavy	28	35	42

Fissurectomy, Anal
Surgical treatment, anal fissurectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	21

Gastrectomy
Surgical treatment, partial gastrectomy, with or without vagotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	35	42
Medium	42	56	56
Heavy	42	56	56
Very Heavy	42	56	56

Surgical treatment, total gastrectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	42	56	70
Heavy	42	56	70
Very Heavy	42	56	70

Gastro enterostomy
Surgical treatment, gastroenterostomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	35	42
Medium	42	49	56
Heavy	42	49	70
Very Heavy	42	49	70

Gastro esophageal Reflux
Medical treatment, gastro esophageal reflux.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	3

Gastro intestinal Hemorrhage
Medical treatment, upper gastro intestinal bleeding.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Gastrostomy
Surgical treatment, open gastrostomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	35	42
Medium	42	49	56
Heavy	42	49	56
Very Heavy	42	49	56

Hemorrhage of Rectum and Anus
Related Terms
Rubber band ligation and cryosurgery, hemorrhoids.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	21
Light	1	7	21
Medium	1	7	21
Heavy	1	7	21
Very Heavy	1	7	21

Surgical treatment, hemorrhoidectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	42
Heavy	21	35	42
Very Heavy	21	35	42

Hepatic Coma
Hepatitis, Alcoholic
Supportive treatment, alcoholic hepatitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	56	84

Hepatitis A
Supportive treatment, hepatitis A.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	7	21

Hepatitis, Chronic
Hernia Repair

Surgical treatment, incisional hernia repair.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	2	7	21
Medium	7	14	28
Heavy	21	28	42
Very Heavy	28	42	56

Surgical treatment, laparoscopic or Shouldice inguinal or femoral herniorrhaphy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	5	14
Light	5	10	14
Medium	14	21	28
Heavy	21	28	42
Very Heavy	28	42	56

Surgical treatment, umbilical hernia repair.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	14	21	42
Heavy	21	28	42
Very Heavy	21	42	56

Surgical treatment, hiatal hernia repair.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	42
Heavy	28	42	56
Very Heavy	28	56	70

Surgical treatment, open inguinal or femoral herniorrhaphy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	7	14	21
Medium	14	28	42
Heavy	28	56	84
Very Heavy	28	56	84

Hernia, Hiatal
Medical treatment, hiatal hernia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	3
Light	0	1	3
Medium	0	1	3
Heavy	0	1	3
Very Heavy	0	1	3

Surgical treatment, hiatal hernia repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	42
Heavy	28	42	56
Very Heavy	28	56	70

Hernia, Incisional
Surgical treatment, incisional hernia repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	2	7	21
Medium	7	14	28
Heavy	21	28	42
Very Heavy	28	42	56

Hernia, Inguinal and Femoral
Surgical treatment, laparoscopic or Shouldice inguinal or femoral herniorrhaphy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	5	14
Light	5	10	14
Medium	14	21	28
Heavy	21	28	42
Very Heavy	28	42	56

Surgical treatment, open inguinal or femoral herniorrhaphy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	7	14	21
Medium	14	28	42
Heavy	28	56	84
Very Heavy	28	56	84

Hernia, Umbilical
Length of Disability
Duration depends on job requirements.

Surgical treatment, umbilical hernia repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	14	21	42
Heavy	21	28	42
Very Heavy	21	42	56

Incision and Drainage of Ischio rectal and/or Peri rectal Abscess
Surgical drainage, ischio rectal and/or peri rectal abscess.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	7	14	21
Heavy	7	14	28
Very Heavy	7	14	28

Intestinal Obstruction
Surgical treatment, open partial colon resection.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	35
Light	21	28	42
Medium	28	35	56
Heavy	35	42	84
Very Heavy	42	42	91

Irritable Bowel Syndrome

Supportive treatment, irritable bowel syndrome.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	3

Laparoscopy
Surgical treatment, diagnostic laparoscopy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	2	3	4
Medium	3	4	7
Heavy	3	4	7
Very Heavy	3	4	7

Laparotomy
Surgical treatment, diagnostic laparotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	14	21	42
Heavy	21	42	56
Very Heavy	21	56	70

Ligation of Esophageal Varices
Surgical treatment, ligation of esophageal varices.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	56
Light	28	42	70
Medium	42	63	84
Heavy	56	70	112
Very Heavy	56	70	112

Lithotripsy, Extracorporeal Shock Wave

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	7

Liver Biopsy
Liver biopsy, laparoscopic or percutaneous (needle).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	3

Mallory-Weiss Syndrome
Medical treatment, Mallory-Weiss syndrome.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	14

Mesenteric Thrombosis
Surgical treatment, thrombectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	28	35	42
Heavy	91	119	182
Very Heavy	91	119	182

Myotomy of Esophagus
Surgical treatment, laparoscopic esophageal myotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	7	9	14
Heavy	7	9	14
Very Heavy	7	9	14

Surgical treatment, open esophageal myotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	48
Light	14	21	48
Medium	14	21	48
Heavy	21	48	56
Very Heavy	21	48	56

Pancreatectomy
Surgical treatment, partial pancreatectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	42	56	70
Heavy	56	70	84
Very Heavy	56	70	84

Surgical treatment, total pancreatectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	Indefinite
Light	42	56	Indefinite
Medium	56	70	Indefinite
Heavy	70	84	Indefinite
Very Heavy	70	84	Indefinite

Pancreatic Pseudo cyst

Surgical treatment, pancreatic pseudo cyst.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	42
Light	14	28	42
Medium	21	42	56
Heavy	28	56	70
Very Heavy	28	56	70

Pancreaticoduodenectomy

Surgical treatment, pancreaticoduodenectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	Indefinite
Light	42	56	Indefinite
Medium	56	70	Indefinite
Heavy	70	84	Indefinite
Very Heavy	70	84	Indefinite

Pancreaticojejunostomy

Surgical treatment, pancreaticojejunostomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	42	56	70
Heavy	56	70	84
Very Heavy	56	70	84

Pancreatitis

Medical treatment, acute pancreatitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	28
Medium	14	21	42
Heavy	14	21	56
Very Heavy	14	28	70

Surgical treatment, partial pancreatectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	42	56	70
Heavy	56	70	84
Very Heavy	56	70	84

Peptic Ulcer Disease

Medical treatment, peptic ulcer disease.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	10
Light	3	7	10
Medium	3	7	10
Heavy	3	7	10
Very Heavy	3	7	10

Surgical treatment, vagotomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	14	21	21
Medium	14	28	35
Heavy	14	28	35
Very Heavy	14	28	35

Surgical treatment, partial gastrectomy, with or without vagotomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	35	42
Medium	42	56	56
Heavy	42	56	56
Very Heavy	42	56	56

Peritonitis

Surgical treatment, peritonitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	56
Light	14	28	56
Medium	21	42	70
Heavy	28	56	70
Very Heavy	28	56	70

Proctiti

Medical treatment, proctitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	10

Pyloric Stenosis, Acquired (Adult) Hypertrophic
Surgical treatment, partial gastrectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	35	42
Medium	42	49	56
Heavy	42	49	56
Very Heavy	42	49	56

Pyloroplasty
Surgical treatment, open pyloroplasty.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	21	28	35
Medium	28	35	42
Heavy	28	42	56
Very Heavy	28	42	56

Rectal Ulcer
Surgical treatment, rectal ulcer.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	14	21

Repair, Esophageal Stricture
Dilation of esophagus.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	10
Light	1	2	10
Medium	1	2	10
Heavy	1	2	10
Very Heavy	1	2	10

Surgical treatment, open repair of esophageal strictures.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	49	56
Light	42	49	56
Medium	56	63	70
Heavy	70	77	84
Very Heavy	70	77	84

Repair, Esophageal Varices

Sclerotherapy or ligation, esophageal varices.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	56
Light	28	42	70
Medium	42	63	84
Heavy	56	70	112
Very Heavy	56	70	112

Surgical treatment, portal systemic shunt.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	56	63	70
Light	70	77	84
Medium	84	98	112
Heavy	112	126	182
Very Heavy	112	126	182

Sclerotherapy

Sclerotherapy, esophageal varices.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	56
Light	28	42	70
Medium	42	63	84
Heavy	56	70	112
Very Heavy	56	70	112

Sclerotherapy, hemorrhoids.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	2	3
Medium	1	3	7
Heavy	1	4	7
Very Heavy	1	4	7

Sclerotherapy, varicose veins.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	4	7
Light	3	4	7
Medium	7	9	14
Heavy	7	9	14
Very Heavy	7	9	14

Sigmoidoscopy
Sigmoidoscopy with or without biopsy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	2

Ulcerative Colitis
Medical treatment, ulcerative colitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	28
Medium	7	14	42
Heavy	7	14	63
Very Heavy	7	14	84

Surgical treatment, laparoscopic partial colon resection.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	14	21
Light	10	14	21
Medium	14	21	28
Heavy	14	35	42
Very Heavy	14	42	56

Surgical treatment, open partial colon resection.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	35
Light	21	28	42
Medium	28	35	56
Heavy	35	42	84
Very Heavy	42	42	91

Vagotomy
Surgical treatment, vagotomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	14	21	21
Medium	14	28	35
Heavy	14	28	35
Very Heavy	14	28	35

Volvulus

Surgical treatment, laparoscopic partial colon resection.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	14	21
Light	10	14	21
Medium	14	21	28
Heavy	14	35	42
Very Heavy	14	42	56

Surgical treatment, open partial colon resection.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	35
Light	21	28	42
Medium	28	35	56
Heavy	35	42	84
Very Heavy	42	42	91

GENITOURINARY

Abscess Renal and Peri nephric
Surgical treatment, open drainage.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	**7**	**10**	**14**
Light	**7**	**10**	**14**
Medium	**10**	**14**	**21**
Heavy	**15**	**21**	**42**
Very Heavy	**15**	**21**	**42**

Surgical treatment, simple nephrectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	21	35
Light	7	28	35
Medium	14	35	42
Heavy	21	42	56
Very Heavy	21	42	56

Surgical treatment, radical nephrectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	42
Light	14	28	56
Medium	21	35	56
Heavy	28	42	70
Very Heavy	28	42	70

Aspiration
Biopsy
Related Terms
Tissue Sample
Tissue Sampling
Biopsy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	3

Bladder Fistulas
Length of Disability
Heavy labor is restricted following surgery until recovery is complete.

Surgical treatment, bladder fistula repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	49	56
Light	42	49	56
Medium	42	49	70
Heavy	56	63	84
Very Heavy	56	63	112

Calculus, Bladder
Lithotripsy, extracorporeal shock wave.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	7
Light	1	2	7
Medium	1	2	7
Heavy	1	2	7
Very Heavy	1	2	7

Cystoscopic removal, bladder calculus.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Surgical treatment, open bladder lithotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	14	17	21
Medium	21	25	28
Heavy	28	35	42
Very Heavy	28	35	42

Calculus, Renal and Ureter
Lithotripsy, extracorporeal shock wave.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	7

Medical treatment, renal and ureter calculus.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	7

Ureteroscopic stone extraction/disintegration or percutaneous lithotripsy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	14

Cystectomy
Surgical treatment, cystectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	49	56
Light	42	49	56
Medium	42	49	70
Heavy	56	63	84
Very Heavy	56	63	112

Cystitis, Acute
Medical treatment, acute cystitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	7

Cystitis, Interstitial
Medical treatment, interstitial cystitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	7	14

Cystoscopy, Transurethral

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	1	3

Cystourethroplasty of Bladder Neck
Surgical treatment, cystourethroplasty.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	49	56
Light	42	49	56
Medium	42	49	70
Heavy	56	63	84
Very Heavy	56	63	112

Glomerulo nephritis, Acute
Medical treatment, acute glomerulo nephritis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	42
Light	14	28	42
Medium	14	28	42
Heavy	28	42	42
Very Heavy	28	42	42

Glomerulonephritis, Chronic
Medical treatment, chronic glomerulonephritis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	14	28	Indefinite

Glomerulo sclerosis
Medical treatment, glomerulosclerosis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	2	3

Hematuria
Hydronephrosis
Cystoscopy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	3
Light	1	1	3
Medium	1	1	3
Heavy	1	1	3
Very Heavy	1	1	3

Lithotripsy, extracorporeal shock wave.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Surgical treatment, transurethral resection of prostate.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	14	16	21
Heavy	21	24	28
Very Heavy	21	24	28

Kidney Transplantation
Donor, simple nephrectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	21	35
Light	7	28	35
Medium	14	35	42
Heavy	21	42	56
Very Heavy	21	42	56

Recipient, kidney transplantation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	56
Medium	42	49	56
Heavy	56	63	70
Very Heavy	56	63	70

Lithotomy
Surgical treatment, percutaneous lithotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	7
Light	1	2	7
Medium	1	2	7
Heavy	1	2	7
Very Heavy	1	2	7

Surgical treatment, open bladder lithotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	14	17	21
Medium	21	25	28
Heavy	28	35	42
Very Heavy	28	35	42

Surgical treatment, open renal lithotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	42
Heavy	28	35	42
Very Heavy	28	35	42

Lithotomy, Percutaneous
Surgical treatment, percutaneous lithotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	7

Marshall-Marchetti Operation
Surgical treatment, Marshall-Marchetti operation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	70
Medium	42	70	91
Heavy	42	Indefinite	Indefinite
Very Heavy	42	Indefinite	Indefinite

Nephrectomy
Surgical treatment, simple nephrectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	21	35
Light	7	28	35
Medium	14	35	42
Heavy	21	42	56
Very Heavy	21	42	56

Surgical treatment, partial nephrectomy by da Vinci Robot.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	7	14	28
Medium	10	21	35
Heavy	14	28	42
Very Heavy	21	35	42

Surgical treatment, radical nephrectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	42
Light	14	28	56
Medium	21	35	56
Heavy	28	42	70
Very Heavy	28	42	70

Nephrotic Syndrome
Nephritis, Interstitial
Related Terms
Length of Disability
Duration depends on job requirements.

Medical treatment, acute interstitial nephritis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	14

Medical treatment, chronic interstitial nephritis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	7	21

Nephropexy
Surgical treatment, laparoscopic nephropexy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	7	10	21
Heavy	7	14	28
Very Heavy	7	14	28

Nephrotomy
Surgical treatment, nephrotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	28	42
Heavy	28	35	42
Very Heavy	28	35	42

Neurogenic Bladder
Pyelonephritis, Acute
Medical treatment, acute pyelonephritis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	14

Pyelonephritis, Chronic
Medical treatment, chronic pyelonephritis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	14

Pyuria
Renal Failure, Acute
Medical treatment, acute renal failure.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	42
Light	14	28	42
Medium	28	42	56
Heavy	28	42	56
Very Heavy	28	42	56

Renal Failure, Chronic
Medical and/or surgical treatment, chronic renal failure.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	42	84
Light	21	42	84
Medium	21	42	182
Heavy	21	42	Indefinite
Very Heavy	21	42	Indefinite

Transurethral Incision of Bladder Neck
Surgical treatment, transurethral incision of bladder neck.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	9

Transurethral Removal of Obstruction from Ureter
Urethritis
Medical treatment, urethritis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	3

Vesicourethropexy
Surgical treatment, vesicourethropexy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	56
Light	35	42	56
Medium	42	49	70
Heavy	56	63	84
Very Heavy	56	63	112

Cryotherapy, Genital Warts (Male)
Cryotherapy, genital warts.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	2

Epididymitis
Medical treatment, epididymitis (nonseptic).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	3	7
Light	3	3	7
Medium	3	3	14
Heavy	3	7	21
Very Heavy	3	7	21

Hydrocele
Medical treatment, hydrocele.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	3
Light	0	1	3
Medium	0	1	3
Heavy	0	1	7
Very Heavy	0	1	7

Surgical treatment, hydrocelectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	7	21
Heavy	3	14	21
Very Heavy	3	14	21

Ligation of Spermatic Vein for Varicocele
Surgical treatment, ligation of spermatic vein.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	7	14	21
Heavy	7	14	21
Very Heavy	7	21	28

Orchiectomy
Surgical treatment, orchiectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	21
Medium	7	14	21
Heavy	7	14	21
Very Heavy	7	14	21

Orchitis
Medical treatment, orchitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	7	10	21
Heavy	7	10	21
Very Heavy	7	10	21

Surgical treatment, orchiectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	21
Medium	7	14	21
Heavy	7	14	21
Very Heavy	7	14	21

Prostatectomy
Surgical treatment, transurethral resection of prostate.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	14	16	21
Heavy	21	24	28
Very Heavy	21	24	28

Surgical treatment, prostatectomy by da Vinci Robot.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	7	14	28
Medium	10	21	35
Heavy	14	28	42
Very Heavy	21	35	42

Surgical treatment, radical prostatectomy (suprapubic, retropubic or perineal approach).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	21	35
Light	14	42	42
Medium	28	49	54
Heavy	42	56	70
Very Heavy	42	63	84

Prostatic Hyperplasia
Medical treatment, prostatic hyperplasia.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	0	1
Light	0	0	1
Medium	0	0	1
Heavy	1	1	2
Very Heavy	1	1	2

Transurethral laser incision of prostate.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	2	3
Medium	1	2	3
Heavy	1	2	3
Very Heavy	1	2	3

Transurethral balloon dilation of prostate.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	3	7
Heavy	1	3	7
Very Heavy	1	3	7

Surgical treatment, prostatic stent.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	9
Light	3	7	9
Medium	3	7	9
Heavy	3	7	9
Very Heavy	3	7	9

Surgical treatment, transurethral incision of bladder neck or prostate.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	9
Light	3	7	9
Medium	3	7	9
Heavy	3	7	9
Very Heavy	3	7	9

Surgical treatment, orchiectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	21
Medium	7	14	21
Heavy	7	14	21
Very Heavy	7	14	21

Surgical treatment, transurethral resection of prostate.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	14	16	21
Heavy	21	24	28
Very Heavy	21	24	28

Surgical treatment, suprapubic, retropubic or perineal, prostatectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	14	21	28
Medium	21	35	42
Heavy	28	42	56
Very Heavy	28	42	56

Hydronephrosis
Cystoscopy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	3
Light	1	1	3
Medium	1	1	3
Heavy	1	1	3
Very Heavy	1	1	3

Lithotripsy, extracorporeal shock wave.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Surgical treatment, transurethral resection of prostate.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	7	9	14
Medium	14	16	21
Heavy	21	24	28
Very Heavy	21	24	28

Cancer, Prostate
Medical treatment, hormone therapy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	10	21
Light	3	10	21
Medium	3	10	21
Heavy	7	14	42
Very Heavy	7	14	42

Surgical treatment, radical prostatectomy (suprapubic, retropubic or perineal approach).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	21	35
Light	14	42	42
Medium	28	49	54
Heavy	42	56	70
Very Heavy	42	63	84

Spermatocele

Medical treatment, spermatocele.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	0	1

Surgical treatment, spermatocelectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	14

Surgical treatment, spermatocelectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	3	7	14

Transurethral Balloon Dilation of Prostatic Urethra

Transurethral balloon dilation of prostatic urethra.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	7

Vasectomy

Surgical treatment, vasectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	3
Light	1	1	3
Medium	1	3	7
Heavy	1	4	7
Very Heavy	1	4	7

Gynecology – Obstetrics

Aspiration
Bartholin's Gland Cyst
Surgical drainage, Bartholin's gland cyst.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	7

Biopsy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	2	3

Cervical Cauterization

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	2
Light	1	1	2
Medium	1	1	2
Heavy	1	2	3
Very Heavy	1	2	3

Cervical Conization

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	7
Light	2	3	7
Medium	2	5	7
Heavy	2	5	10
Very Heavy	2	5	10

Cervical Cryotherapy
Cervical Polyps

Surgical treatment, cervical polypectomy (simple excision).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	3	7
Heavy	1	3	7
Very Heavy	1	3	7

Surgical treatment, cervical polypectomy (simple excision with D&C).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	7
Light	2	3	7
Medium	3	4	7
Heavy	3	4	7
Very Heavy	3	4	7

Cervical Polypectomy
Surgical treatment, cervical polypectomy (simple excision).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	3	7
Heavy	1	3	7
Very Heavy	1	3	7

Surgical treatment, cervical polypectomy (simple excision with D&C).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	7
Light	2	3	7
Medium	3	4	7
Heavy	3	4	7
Very Heavy	3	4	7

Cervicitis
Medical treatment, cervicitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	2	3

Cryotherapy, Genital Warts (Female)
Cryotherapy, genital warts.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	2

Cystocele or Rectocele
Surgical treatment, vaginal hernia repair.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	70
Medium	42	70	91
Heavy	42	Indefinite	Indefinite
Very Heavy	42	Indefinite	Indefinite

Dilation and Curettage
Surgical treatment, dilation and curettage.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	7
Light	2	3	7
Medium	3	4	7
Heavy	3	4	7
Very Heavy	3	4	7

Dysfunctional Uterine Bleeding
Surgical treatment, dilation and curettage.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	7
Light	2	3	7
Medium	3	4	7
Heavy	3	4	7
Very Heavy	3	4	7

Endometriosis
Medical treatment, endometriosis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	3	7
Medium	0	3	7
Heavy	0	3	7
Very Heavy	0	3	7

Surgical treatment, laparoscopic lysis of adhesions.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	3	7	21
Medium	7	14	28
Heavy	7	21	42
Very Heavy	14	21	42

Surgical treatment, abdominal laparotomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	35	56
Light	28	42	56
Medium	42	56	70
Heavy	42	70	84
Very Heavy	42	84	98

Hematosalpinx

Medical treatment, hematosalpinx.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	14	21
Medium	7	14	21
Heavy	7	14	21
Very Heavy	7	14	21

Surgical treatment, laparoscopic salpingectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	3	7	10
Medium	5	7	14
Heavy	7	14	28
Very Heavy	7	21	28

Hernia Repair, Vaginal

Length of Disability

Full recovery is expected after an uncomplicated vaginal hernia repair.

Surgical treatment, vaginal hernia repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	56
Light	28	42	70
Medium	42	70	91
Heavy	42	Indefinite	Indefinite
Very Heavy	42	Indefinite	Indefinite

Hysterectomy

Surgical treatment, laparoscopic abdominal hysterectomy or vaginal hysterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	42
Light	21	28	42
Medium	28	42	56
Heavy	28	56	70
Very Heavy	28	70	84

Surgical treatment, open abdominal hysterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	42	56
Medium	42	56	70
Heavy	42	70	84
Very Heavy	42	84	98

Surgical treatment, radical hysterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	49	56
Light	56	63	70
Medium	70	77	84
Heavy	70	84	112
Very Heavy	70	84	140

Myomectomy, Uterine
Surgical treatment, laparoscopic myomectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	3	7	42
Medium	7	14	49
Heavy	7	21	54
Very Heavy	14	21	63

Surgical treatment, abdominal or vaginal.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	42
Light	21	28	42
Medium	28	42	56
Heavy	28	56	70
Very Heavy	28	70	84

Oophorectomy
Surgical treatment, laparoscopic oophorectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	3	7	10
Medium	5	7	14
Heavy	7	14	28
Very Heavy	7	21	28

Surgical treatment, open oophorectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	7	14	21
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	28	42

Ovarian Cyst, Resection of cyst
Length of Disability
Disability may be longer if job requires strenuous activity.

Surgical treatment, laparoscopic resection of ovarian cyst.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	3	7	10
Medium	5	7	14
Heavy	7	14	28
Very Heavy	7	21	28

Surgical treatment, open resection of ovarian cyst.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	7	14	21
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	28	42

Pelvic Inflammatory Disease
Length of Disability
Duration depends on the severity of the infection.

Medical treatment, pelvic inflammatory disease.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Percutaneous or transvaginal aspiration.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	7	14
Heavy	7	14	14
Very Heavy	7	14	14

Surgical treatment, laparoscopic salpingo-oophorectomy..

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	3	7	10
Medium	5	7	14
Heavy	7	14	28
Very Heavy	7	21	28

Surgical treatment, open salpingo-oophorectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	7	14	21
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	28	42

Perineorrhaphy
Salpingitis
Percutaneous or trans vaginal aspiration.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	3	7	14
Heavy	7	14	14
Very Heavy	7	14	14

Medical treatment, salpingitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	7	14	28
Heavy	7	14	28
Very Heavy	7	14	28

Surgical treatment, laparoscopic salpingectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	3	7	10
Medium	5	7	14
Heavy	7	14	28
Very Heavy	7	21	28

Surgical treatment, open salpingectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	7	14	21
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	28	42

Surgical treatment, salpingo-oophorectomy or abdominal hysterectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	42	56
Medium	42	56	70
Heavy	42	70	84
Very Heavy	42	84	98

Salpingectomy
Surgical treatment, laparoscopic salpingectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	3	7	10
Medium	5	7	14
Heavy	7	14	28
Very Heavy	7	21	28

Surgical treatment, open salpingectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	7	14	21
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	28	42

Salpingo-oophorectomy
Surgical treatment, laparoscopic salpingo-oophorectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	3	7	10
Medium	5	7	14
Heavy	7	14	28
Very Heavy	7	21	28

Surgical treatment, open salpingo-oophorectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	7	14	21
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	28	42

Tubal Ligation
Surgical treatment, laparoscopic tubal ligation.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	3	7

Uterus, Perforation of
Medical treatment, perforation of the uterus.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	7
Light	1	2	7
Medium	1	2	7
Heavy	1	2	7
Very Heavy	1	2	7

Surgical treatment, laparoscopy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	3	7	21
Medium	7	14	28
Heavy	7	14	28
Very Heavy	14	21	28

Vaginitis
Medical treatment, vaginitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	0	2

Vesico vaginal Fistula
Surgical treatment, vesicovaginal fistula repair.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	42
Light	14	21	42
Medium	21	28	42
Heavy	28	42	56
Very Heavy	28	42	56

Abruptio Placentae
Breast Abscess
Surgical drainage, breast abscess.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	1	7	14
Medium	1	7	14
Heavy	1	7	21
Very Heavy	1	7	21

Anemia Complicating Pregnancy
Medical treatment, anemia complicating pregnancy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	7	14

Disease in Pregnancy
Depression, Postpartum
Embolism, Pulmonary
Medical treatment, pulmonary embolism.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	14	21	35
Heavy	28	42	49
Very Heavy	28	42	49

Surgical treatment, pulmonary embolectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	112
Light	42	56	112
Medium	56	70	Indefinite
Heavy	56	84	Indefinite
Very Heavy	56	112	Indefinite

Surgical treatment, prophylaxis - vena cava interruption, intravascular, IVC umbrella.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	42
Light	7	14	56
Medium	14	21	84
Heavy	84	91	112
Very Heavy	84	98	112

Surgical treatment, prophylaxis - distal vein ligation.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	56
Light	14	21	91
Medium	28	35	140
Heavy	84	112	168
Very Heavy	84	112	182

Surgical treatment, prophylaxis - open vena cava interruption.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	56
Light	28	35	91
Medium	42	49	140
Heavy	84	112	168
Very Heavy	84	112	182

Gestational Diabetes
Medical treatment, single episode without complications.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	1	7	14

Hydatidiform Mole
Surgical treatment, dilation and curettage.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	7
Light	2	3	7
Medium	3	4	7
Heavy	3	4	7
Very Heavy	3	4	7

Hyperemesis Gravidarum
Medical treatment, hyperemesis gravidarum.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	7	14

Incompetent Cervix
Length of Disability
The length of disability will depend on the consequences of the condition. Contact physician for additional information.

Miscarriage

First trimester, complete spontaneous miscarriage (uncomplicated).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	3	7
Heavy	1	3	7
Very Heavy	1	3	7

Surgical treatment, dilation and curettage.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	2	3	7
Light	2	3	7
Medium	3	4	7
Heavy	3	4	7
Very Heavy	3	4	7

Second or third trimester miscarriage.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	28
Medium	7	14	28
Heavy	7	14	28
Very Heavy	7	14	28

Placenta Accreta

Surgical treatment, open abdominal hysterectomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	35	42
Light	28	42	56
Medium	42	56	91
Heavy	49	84	98
Very Heavy	56	91	112

Placenta Previa

Medical treatment, placenta previa without hemorrhage.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	1
Light	1	1	1
Medium	1	14	28
Heavy	1	28	56
Very Heavy	1	28	56

Medical treatment, placenta previa with hemorrhage.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	56	112
Light	14	56	112
Medium	14	56	112
Heavy	14	56	112
Very Heavy	14	56	112

Postpartum Mastitis
Medical treatment, postpartum mastitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	3	7
Heavy	1	3	14
Very Heavy	1	3	14

Pre-eclampsia and Eclampsia
Medical treatment, high-risk pregnancy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	28	84

Pregnancy, Ectopic
Surgical treatment, laparoscopic salpingectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	3	7	10
Medium	5	7	14
Heavy	7	14	28
Very Heavy	7	21	28

Surgical treatment, open salpingectomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	7	14	21
Medium	14	21	28
Heavy	21	28	42
Very Heavy	21	28	42

Threatened Abortion

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	28	42	140

MUSCLE & CONNECTIVE TISSUE

Achilles Bursitis or Tendinitis

Supportive treatment, Achilles bursitis or tendinitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	14
Light	0	3	28
Medium	0	7	35
Heavy	7	14	42
Very Heavy	7	14	64

Adhesive Capsulitis of Shoulder

Medical treatment, adhesive capsulitis of shoulder.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	7	21
Light	7	14	42
Medium	42	63	91
Heavy	56	91	140
Very Heavy	56	112	140

AnkylosingSpondylitis

Medical treatment, ankylosing spondylitis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	7	28
Light	0	14	42
Medium	0	112	Indefinite
Heavy	0	168	Indefinite
Very Heavy	0	168	Indefinite

Arthralgia

Length of Disability

Disability duration depends on the cause and severity of the arthralgia, the joint(s) involved, acuity of the underlying illness, individual's response to treatment and job requirements. Contact physician for additional information.

Arthritis, Infectious

Medical treatment, infectious arthritis (with arthrocentesis).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	7	14
Medium	7	9	14
Heavy	14	16	21
Very Heavy	14	16	21

Surgical treatment, drainage.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**

Sedentary	7	14	21
Light	7	14	21
Medium	14	21	42
Heavy	14	21	56
Very Heavy	14	21	56

Arthritis, Rheumatoid
Medical treatment, rheumatoid arthritis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	14	84
Light	3	28	84
Medium	7	56	112
Heavy	42	140	Indefinite
Very Heavy	64	180	Indefinite

Joint Disorders
Length of Disability
Duration depends on the specific diagnosis. Contact physician for additional information.

Arthropathy
Length of Disability
Contact physician for additional information. In some cases, disability may be permanent.

Arthrodesis
Length of Disability
Duration of disability depends on the underlying cause of the condition and the joint involved. In some cases, disability may be permanent.

Arthroplasty, Ankle
Surgical treatment, total ankle replacement.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	10	42
Light	21	42	84
Medium	84	112	Indefinite
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Arthroplasty, Elbow
Surgical treatment, resection arthroplasty.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	56
Light	14	28	56
Medium	21	42	70
Heavy	28	42	84
Very Heavy	28	56	112

Arthroplasty, Shoulder

Surgical treatment, open partial or total shoulder replacement.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	21	56
Light	28	56	112
Medium	Indefinite	Indefinite	Indefinite
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Arthroscopy
Length of Disability
Disability depends on the underlying diagnosis, the joint (site) being investigated, and whether scope is used for diagnostic purposes or whether a surgical procedure is also performed.

Aspiration
Length of Disability
No disability is expected for the procedure itself.

Avascular Necrosis
Surgical treatment, total hip replacement.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	28	56
Light	42	98	140
Medium	84	112	182
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Baker's Cyst
Medical treatment (including injection), Baker's cyst.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	3	7
Medium	0	7	14
Heavy	0	7	28
Very Heavy	0	7	42

Bone Tumors (Benign and Malignant)
Length of Disability
Duration of disability depends on the specific site, size, and type of tumor. Disability may be permanent. Contact physician for additional information.

Bunion

Surgical treatment, bunionectomy without osteotomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	7	21	28
Medium	14	21	42
Heavy	28	35	56
Very Heavy	28	35	63

Surgical treatment, bunionectomy with osteotomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	42
Light	21	28	42
Medium	28	42	84
Heavy	42	70	91
Very Heavy	42	84	105

Bunionectomy

Surgical treatment, bunionectomy without osteotomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	7	21	28
Medium	14	21	42
Heavy	28	35	56
Very Heavy	28	35	63

Surgical treatment, bunionectomy with osteotomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	42
Light	21	28	42
Medium	28	42	84
Heavy	42	70	91
Very Heavy	42	84	105

Bursitis

Medical treatment, olecranon bursitis (non-infectious).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	0	3
Light	0	0	3
Medium	0	0	3
Heavy	0	0	3
Very Heavy	0	0	3

Medical treatment, olecranon bursitis (infectious).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	0	7
Light	0	0	7
Medium	0	0	7
Heavy	0	0	7
Very Heavy	0	0	7

Medical treatment, prepatellar bursitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	0	3
Light	0	0	3
Medium	0	0	3
Heavy	0	0	3
Very Heavy	0	0	3

Medical treatment, trochanteric bursitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	3
Light	0	1	5
Medium	0	3	7
Heavy	3	7	10
Very Heavy	3	7	14

Coccydynia
Supportive treatment, coccydynia.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	3	7

Costochondritis
Supportive treatment, costochondritis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	3
Light	0	1	3
Medium	0	1	7
Heavy	1	1	14
Very Heavy	1	1	14

Curvature of the Spine, Acquired

Medical treatment, acquired curvature of the spine.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	14
Light	0	3	14
Medium	0	3	14
Heavy	0	3	14
Very Heavy	0	3	14

Surgical treatment, adult scoliosis, posterior surgery.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	42
Light	42	49	56
Medium	91	112	140
Heavy	140	182	Indefinite
Very Heavy	182	Indefinite	Indefinite

Surgical treatment, adult scoliosis, anterior surgery with or without posterior surgery.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	42	70
Light	42	70	140
Medium	91	140	280
Heavy	140	280	Indefinite
Very Heavy	182	Indefinite	Indefinite

Medical treatment, acquired curvature of the spine.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	14
Light	0	3	14
Medium	0	3	14
Heavy	0	3	14
Very Heavy	0	3	14

Surgical treatment, adult scoliosis, posterior surgery.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	42
Light	42	49	56
Medium	91	112	140
Heavy	140	182	Indefinite
Very Heavy	182	Indefinite	Indefinite

Surgical treatment, adult scoliosis, anterior surgery with or without posterior surgery.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	42	70
Light	42	70	140
Medium	91	140	280
Heavy	140	280	Indefinite
Very Heavy	182	Indefinite	Indefinite

De Quervain's Release
Surgical treatment, de Quervain's release.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	3	7	21
Medium	7	21	42
Heavy	21	28	56
Very Heavy	21	28	70

Dermatomyositis
Medical treatment, dermatomyositis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	14	42
Light	1	21	64
Medium	7	42	91
Heavy	42	63	140
Very Heavy	42	70	182

Dislocation, Patella (Kneecap)

Dislocation, patella (closed).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	14	21	42
Medium	14	35	49
Heavy	42	42	56
Very Heavy	42	54	120

Dislocation, patella (open).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	21	42
Light	14	28	56
Medium	21	42	84
Heavy	42	84	126
Very Heavy	56	112	168

Eosinophilic Fasciitis
Medical treatment, eosinophilic fasciitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	7	21
Light	0	7	35
Medium	1	14	56
Heavy	1	21	70
Very Heavy	1	28	84

Evoked Potentials
Excision of Bone Spur, Foot
Surgical treatment, excision of bone spur (toe).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	3	7	10
Heavy	3	14	28
Very Heavy	3	14	28

Surgical treatment, excision of bone spur (heel).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	7	14	21
Medium	14	21	28
Heavy	21	28	56
Very Heavy	21	28	56

Excision, Fusion, and Repair of Toes
Surgical treatment, excision and repair of toes.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	7	21	21
Medium	14	21	70
Heavy	28	35	84
Very Heavy	28	35	84

Fasciotomy
Surgical treatment, leg fasciotomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	42	63
Light	21	63	91
Medium	42	91	Indefinite
Heavy	63	119	Indefinite
Very Heavy	63	182	Indefinite

Surgical treatment, forearm fasciotomy.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	56
Light	21	42	72
Medium	42	42	Indefinite
Heavy	70	91	Indefinite
Very Heavy	91	119	Indefinite

Fracture-Malunion
Length of Disability
Duration depends on the site, severity of fracture, and job requirements. Contact physician for additional information.

Muscle Spasm
Length of Disability
Disability duration depends on the cause of the muscle spasms.

Myalgia and Myositis
Supportive treatment, myalgia and myositis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	3	7
Medium	1	3	7
Heavy	1	3	14
Very Heavy	1	3	14

Osteoporosis
Length of Disability
Individuals with osteoporosis and compression fractures of the spine may not be able to return to medium, heavy, or very heavy work.
Medical treatment, osteoporosis (no fracture).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	1	14

Paget's Disease of Bone
Medical treatment, Paget's disease of bone.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	14	28
Light	1	14	28
Medium	28	42	Indefinite
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Patella Chondromalacia

Medical treatment, patella chondromalacia.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	7	14
Heavy	7	21	56
Very Heavy	7	21	56

Surgical treatment, arthroscopic débridement.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	35
Medium	14	21	56
Heavy	21	42	84
Very Heavy	28	42	126

Surgical treatment, open débridement.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	42
Light	7	14	49
Medium	21	35	56
Heavy	35	42	84
Very Heavy	35	56	126

Plantar Fasciitis

Medical treatment, plantar fasciitis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	3	7
Medium	1	7	10
Heavy	3	10	14
Very Heavy	3	10	14

Surgical treatment, plantar fasciotomy.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	7	14	28
Medium	14	21	42
Heavy	21	28	63
Very Heavy	21	28	84

Post-Laminectomy Syndrome
Medical treatment, post-laminectomy syndrome.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	7	42	Indefinite

Pott's Disease
Medical treatment, Pott's disease with respiratory infection.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	10	21	84
Light	10	28	84
Medium	10	42	84
Heavy	10	Indefinite	Indefinite
Very Heavy	10	Indefinite	Indefinite

Reiter's Syndrome
Supportive treatment, Reiter's syndrome.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	1	7	14
Medium	1	7	14
Heavy	1	10	Indefinite
Very Heavy	1	10	Indefinite

Repair, Hammertoe

Surgical treatment, hammertoe repair.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	7	21	21
Medium	14	21	28
Heavy	28	35	42
Very Heavy	28	35	42

Repair, Ruptured Achilles Tendon
Surgical treatment, ruptured Achilles tendon repair.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	7	14	28
Medium	28	56	84
Heavy	42	84	156
Very Heavy	56	112	180

Repair, Tendon Laceration of Hand
Surgical treatment, repair of tendon laceration of hand.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	28	42	98
Light	42	56	98
Medium	70	84	98
Heavy	70	84	98
Very Heavy	70	84	98

Rotator Cuff Syndrome
Medical treatment, rotator cuff syndrome.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	4
Light	0	3	7
Medium	14	21	42
Heavy	28	42	84
Very Heavy	28	42	84

Surgical treatment, arthroscopic rotator cuff repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	10	21
Light	7	10	42
Medium	28	42	70
Heavy	56	84	112
Very Heavy	70	112	140

Surgical treatment, open rotator cuff repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	70
Light	7	21	84
Medium	28	84	112
Heavy	56	98	140
Very Heavy	70	112	154

Rotator Cuff Tear
Medical treatment, rotator cuff tear.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	4
Light	0	3	7
Medium	14	21	42
Heavy	28	42	84
Very Heavy	28	42	84

Surgical treatment, arthroscopic rotator cuff repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	10	21
Light	7	10	42
Medium	28	42	70
Heavy	56	84	112
Very Heavy	70	112	140

Surgical treatment, open rotator cuff repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	70
Light	7	21	84
Medium	28	84	112
Heavy	56	98	140
Very Heavy	70	112	154

Rotator Cuff Repair
Surgical treatment, arthroscopic rotator cuff repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	10	21
Light	7	10	42
Medium	28	42	70
Heavy	56	84	112
Very Heavy	70	112	140

Surgical treatment, open rotator cuff repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	70
Light	7	21	84
Medium	28	84	112
Heavy	56	98	140
Very Heavy	70	112	154

Ruptured Biceps Tendon (Traumatic and Nontraumatic)
Surgical treatment, ruptured biceps tendon.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	70
Light	7	21	84
Medium	14	84	140
Heavy	21	98	140
Very Heavy	21	112	140

Surgical treatment, quadriceps tendon repair.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	14	28	70
Medium	28	56	112
Heavy	70	112	140
Very Heavy	98	140	182

Scleroderma
Length of Disability
Disability may be permanent.
Medical treatment, scleroderma.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	7	42
Light	0	14	63
Medium	0	21	91
Heavy	0	28	112
Very Heavy	0	28	112

Sjögren's Syndrome

Length of Disability
If accommodations are not possible, the duration may be longer. In some cases, disability may be permanent for certain work.

Medical treatment, Sjögren's syndrome.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Any Work	0	7	14

Spinal Stenosis
Medical treatment, spinal stenosis.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	1	14	21
Medium	1	21	42
Heavy	1	56	Indefinite
Very Heavy	1	91	Indefinite

Surgical treatment, laminectomy (level 1, without fusion).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	42
Light	28	42	63
Medium	28	84	182
Heavy	42	98	Indefinite
Very Heavy	56	112	Indefinite

Spondylitis
Length of Disability
Disability depends on the underlying cause and specific underlying diagnosis. Contact physician for additional information.

Synovectomy
Surgical treatment, arthroscopic synovectomy (knee).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	5	14	42
Light	21	35	42
Medium	35	42	56
Heavy	35	56	84
Very Heavy	35	63	91

Synovial Cyst

Medical and/or supportive treatment, synovial cyst.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	7
Light	1	1	14
Medium	1	1	28
Heavy	1	1	35
Very Heavy	1	1	42

Aspiration, synovial cyst.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	7
Light	1	1	14
Medium	3	4	28
Heavy	3	6	35
Very Heavy	3	6	42

Surgical treatment, ganglionectomy (wrist).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	1	3	21
Medium	7	14	28
Heavy	14	21	42
Very Heavy	14	28	54

Tenosynovitis, Radial Styloid

Medical treatment, radial styloid tenosynovitis (including corticosteroid injection).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	7	14
Light	1	7	14
Medium	3	7	14
Heavy	3	7	14
Very Heavy	3	7	14

Surgical treatment, first dorsal compartment release.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	21
Light	3	14	28
Medium	7	21	42
Heavy	21	28	56
Very Heavy	21	28	70

Medical treatment (including injection), trigger finger or thumb.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	14
Medium	3	7	21
Heavy	5	7	21
Very Heavy	5	7	21

Surgical treatment, tendon release

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	5	14
Light	3	5	28
Medium	7	14	35
Heavy	21	28	49
Very Heavy	21	28	63

SPRAINS AND STRAINS

Abdominal Muscle Strain

Supportive treatment, abdominal muscle strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	2	5
Light	0	3	7
Medium	3	5	7
Heavy	7	14	28
Very Heavy	7	14	28

Groin Strain

Supportive treatment, groin strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	3	21
Medium	3	7	56
Heavy	7	14	70
Very Heavy	7	14	84

Muscle Injury

Supportive treatment, groin strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	0	3	21
Medium	3	7	56
Heavy	7	14	70
Very Heavy	7	14	84

Supportive treatment, quadriceps or hamstring strain or contusion.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	3	7	14
Medium	7	14	42
Heavy	14	28	56
Very Heavy	28	56	112

Ruptured Biceps Tendon (Traumatic and Nontraumatic)
Length of Disability
Disability may be longer for individuals whose job duties involve substantial physical activity and use of the arms.

Surgical treatment, ruptured biceps tendon.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	70
Light	7	21	84
Medium	14	84	140
Heavy	21	98	140
Very Heavy	21	112	140

Ruptured Quadriceps Tendon
Surgical treatment, quadriceps tendon repair.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	14	28	70
Medium	28	56	112
Heavy	70	112	140
Very Heavy	98	140	182

Shin Splints
Supportive treatment, shin splints.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	1	3	7
Medium	3	7	14
Heavy	7	14	28
Very Heavy	7	14	28

Sprains and Strains, Acromioclavicular Joint
Supportive treatment, AC joint sprain or strain (grade II or III).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	10
Light	1	7	28
Medium	7	21	49
Heavy	14	28	84
Very Heavy	14	35	84

Supportive treatment, AC joint sprain or strain (grade I).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	1	10
Light	1	7	14
Medium	7	14	21
Heavy	14	21	28
Very Heavy	14	28	42

Sprains and Strains, Ankle

Supportive treatment, ankle sprain or strain (first or second-degree).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	7
Light	1	3	7
Medium	3	7	14
Heavy	7	14	28
Very Heavy	7	14	28

Supportive treatment, ankle sprain or strain (third-degree).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	7	28
Medium	7	14	42
Heavy	14	21	70
Very Heavy	14	21	84

Supportive treatment, rupture of Achilles tendon.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	7	14	28
Medium	28	56	84
Heavy	42	84	112
Very Heavy	42	84	112

Sprains and Strains, Back

Supportive treatment, thoracic spine sprain or strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	3	7	14
Medium	7	21	42
Heavy	7	35	84
Very Heavy	7	42	91

Supportive treatment, lumbar or lumbosacral spine sprain or strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	7	14
Medium	3	21	42
Heavy	7	35	84
Very Heavy	7	42	91

Strains, Biceps Tendon
Supportive treatment, biceps tendon strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	1	7	28
Medium	3	14	56
Heavy	3	14	84
Very Heavy	3	21	91

Sprains and Strains, Cervical Spine (Neck)
Length of Disability
Duration depends on job requirements.

Supportive treatment, cervical spine sprain or strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	7
Light	1	7	14
Medium	3	21	42
Heavy	3	35	56
Very Heavy	3	42	70

Sprains and Strains, Elbow
Supportive treatment, elbow sprain or strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	1	14	28
Medium	3	28	56
Heavy	7	34	63
Very Heavy	14	42	70

Sprains and Strains, Foot

Supportive treatment, foot sprain or strain (first or second-degree).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	7
Light	1	1	14
Medium	1	7	21
Heavy	1	14	28
Very Heavy	1	21	42

Medical treatment, foot sprain or strain (third-degree).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	1	14	28
Medium	7	21	42
Heavy	14	42	84
Very Heavy	21	70	91

Sprains and Strains, Hand or Fingers

Supportive treatment, carpometacarpal joint sprain or strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	1	14	35
Medium	1	21	42
Heavy	42	49	56
Very Heavy	42	49	56

Supportive treatment, interphalangeal joint (finger) sprain or strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	1	7	21
Medium	1	14	42
Heavy	2	21	56
Very Heavy	2	21	70

Supportive treatment, interphalangeal joint (thumb) sprain or strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	10	14
Light	1	14	21
Medium	1	21	35
Heavy	7	42	42
Very Heavy	7	42	42

Supportive treatment, metacarpophalangeal joint (finger) sprain or strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	14	21
Light	1	14	28
Medium	1	21	42
Heavy	7	28	56
Very Heavy	7	28	84

Supportive treatment, metacarpophalangeal joint (thumb) sprain or strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	14	21
Light	1	21	28
Medium	1	21	42
Heavy	14	42	56
Very Heavy	14	42	84

Sprains and Strains, Knee

Supportive treatment, anterior cruciate ligament.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	14
Medium	1	7	21
Heavy	1	14	42
Very Heavy	1	14	70

Supportive treatment, medial or lateral collateral ligament.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	14
Medium	3	7	21
Heavy	3	14	42
Very Heavy	3	14	70

Surgical treatment, arthroscopic repair of anterior cruciate ligament.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	10	35
Light	7	42	49
Medium	21	56	70
Heavy	84	91	112
Very Heavy	91	112	140

Sprains and Strains, Lumbar Spine
Supportive treatment, lumbar or lumbosacral spine sprain or strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	7	14
Medium	3	21	42
Heavy	7	35	84
Very Heavy	7	42	91

Sprains and Strains, Rotator Cuff (Capsule)
Medical treatment, rotator cuff sprain or strain.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	21	28	56
Medium	21	28	70
Heavy	35	42	84
Very Heavy	35	63	91

Sprains and Strains, Shoulder and Upper Arm
Supportive treatment, shoulder sprain or strain (grade II).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	1	7	14
Medium	7	14	21
Heavy	14	21	42
Very Heavy	14	21	56

Surgical debridement, isolated shoulder labrum tear/degeneration.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	1	7	14
Medium	7	14	21
Heavy	14	21	42
Very Heavy	14	21	56

Surgical treatment, isolated arthroscopic shoulder labrum repair with suture anchors.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	10	21
Light	7	10	42
Medium	28	42	70
Heavy	56	84	112
Very Heavy	70	112	140

Sprains and Strains, Wrist

Supportive treatment, wrist sprain or strain (first- or second-degree).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	7	28
Medium	7	14	42
Heavy	14	21	56
Very Heavy	21	28	70

Supportive treatment, wrist sprain or strain (third-degree).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	28
Light	1	14	35
Medium	14	28	56
Heavy	21	35	84
Very Heavy	28	42	91

Torticollis

Surgical treatment, sternocleidomastoid release.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	3	14
Light	0	5	21
Medium	0	7	28
Heavy	0	14	42
Very Heavy	0	28	56

Medical treatment, torticollis.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	0	7	10
Light	0	7	10
Medium	0	7	10
Heavy	0	7	10
Very Heavy	0	7	10

Fractures

Length of Disability
Disability may be permanent if a bone fails to heal (nonunion). Please refer to specific fracture topics for information concerning length of disability.

Fracture, Ankle
Fracture, single malleolus (closed).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	**1**	**7**	**14**
Light	**7**	**14**	**28**
Medium	**21**	**42**	**70**
Heavy	**70**	**77**	**84**
Very Heavy	**84**	**98**	**112**

Fracture, pilon (usually treated open).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	21	70
Light	70	91	112
Medium	91	140	Indefinite
Heavy	140	182	Indefinite
Very Heavy	182	210	Indefinite

Fracture, single malleolus or bimalleolar (open).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	28	42
Light	14	70	84
Medium	42	84	112
Heavy	56	112	140
Very Heavy	70	140	168

Fracture, bimalleolar (closed).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	42
Light	14	21	56
Medium	42	70	112
Heavy	56	112	140
Very Heavy	70	140	168

Fracture, trimalleolar (usually treated open).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	28	42
Light	35	91	112
Medium	42	119	140
Heavy	56	154	Indefinite
Very Heavy	70	182	Indefinite

Fracture, Calcaneus
Length of Disability
Disability may be permanent.

Fractures of calcaneus (not involving the subtalar or calcaneocuboid joint).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	28
Light	1	35	42
Medium	14	64	90
Heavy	56	84	112
Very Heavy	56	112	168

Body fracture, calcaneus (intra-articular).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	56	63	70
Medium	84	98	112
Heavy	112	168	Indefinite
Very Heavy	168	252	Indefinite

Fracture, Carpal Bones
Fracture, carpal bone(s).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	14
Light	3	42	84
Medium	42	56	91
Heavy	91	105	126
Very Heavy	126	161	182

Fracture, Cervical Spine (With Spinal Cord Injury)
Fracture, cervical spine (open or closed) with spinal cord injury.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	119	182	Indefinite
Light	119	182	Indefinite
Medium	Indefinite	Indefinite	Indefinite
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Fracture, Cervical Spine (Without Spinal Cord Injury)
Fracture, cervical spine (closed) without spinal cord injury. Stable fracture.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	14	21
Light	5	21	28
Medium	28	56	91
Heavy	42	91	119
Very Heavy	84	119	182

Fracture, Clavicle
Fracture, clavicle (closed).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	14	28	56
Medium	21	56	84
Heavy	42	84	98
Very Heavy	56	84	140

Fracture, Femoral Neck
Length of Disability
Heavy work is rarely possible after a femoral neck fracture. Disability may be permanent.

Femoral neck fracture, treated with or without internal fixation.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	42	56
Light	42	56	84
Medium	56	84	112
Heavy	91	112	154
Very Heavy	112	154	182

Fracture, Femur
Length of Disability
Duration depends on job requirements. Individuals with sedentary jobs usually can return to work after about two to four weeks, but individuals whose jobs involve mobility or physical labor usually need 4 to 9 months for complete healing.

Fracture, femur.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	56
Light	28	63	91
Medium	42	91	126
Heavy	91	126	154
Very Heavy	126	154	182

Fracture, Fingers and Thumb
Length of Disability
Duration depends on job requirements and may be permanent in some cases.

Fracture, phalanges of one digit (closed with internal fixation or open with internal fixation).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	21
Light	1	7	35
Medium	14	28	63
Heavy	35	42	81
Very Heavy	42	63	88

Fracture, Forefoot (Sesamoid, Phalanges)
Length of Disability
Depends on location and severity of injury, as well as job requirements.

Fracture, phalanges of foot.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	14
Light	3	7	21
Medium	14	21	28
Heavy	28	35	42
Very Heavy	28	42	63

Fracture, sesamoid bones.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	3	7
Medium	3	7	14
Heavy	7	14	28
Very Heavy	7	21	42

Fracture, Jaw (Mandible and Maxilla)
Length of Disability
Disability depends on extent of injuries and job requirements.

Fracture, maxilla (upper jaw).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	3	14	28
Medium	7	21	42
Heavy	14	28	70
Very Heavy	21	42	84

Fracture, mandible (lower jaw).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	21
Light	3	14	42
Medium	7	21	49
Heavy	14	42	70
Very Heavy	21	63	91

Fracture, Lumbosacral Spine (With Spinal Cord Injury)
Length of Disability
Disability may be permanent.

Fracture, lumbosacral spine with spinal cord injury.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	119	182	Indefinite
Light	119	182	Indefinite
Medium	Indefinite	Indefinite	Indefinite
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Fracture, Lumbosacral Spine (Without Spinal Cord Injury)
Length of Disability
Disability may be permanent for individuals who have physically demanding jobs.

Fracture, lumbosacral spine.Stable, treated with brace.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	14	21	42
Medium	42	56	112
Heavy	91	119	147
Very Heavy	119	147	168

Surgical treatment, unstable lumbosacral fracture without neurologic defi-cit.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	91
Light	42	70	119
Medium	91	126	168
Heavy	126	182	Indefinite
Very Heavy	182	280	Indefinite

Fracture, Metacarpal Bones

Fracture, metacarpal bone (closed with internal fixation).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	28
Light	7	14	42
Medium	21	28	56
Heavy	28	42	84
Very Heavy	42	63	90

Fracture, metacarpal bone (closed).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	28
Light	7	14	28
Medium	14	28	42
Heavy	21	42	84
Very Heavy	42	56	90

Fracture, metacarpal bone (open with internal fixation).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	14	42
Medium	14	28	56
Heavy	35	42	84
Very Heavy	42	70	112

Fracture, Metatarsal Bones

Fracture, proximal 5th metatarsal (Jones fracture).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	14	21
Medium	14	21	28
Heavy	35	42	56
Very Heavy	42	49	63

Stress fracture, 2nd or 3rd metatarsal.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	1	3
Light	1	2	21
Medium	7	14	28
Heavy	21	28	56
Very Heavy	21	28	63

Fracture, 1st metatarsal.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	21
Light	42	56	63
Medium	49	63	70
Heavy	63	84	98
Very Heavy	112	140	140

Fracture, distal metatarsal 2nd, 3rd, 4th, or 5th (neck).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	21	28	35
Medium	42	49	56
Heavy	70	77	84
Very Heavy	70	84	112

Fracture, metatarsal bone (closed).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	7	14	28
Medium	28	42	70
Heavy	56	70	84
Very Heavy	56	70	112

Fracture, Midfoot (Cuboid, Cuneiform, Navicular)
Length of Disability
Depends on site of fracture, severity of injury, and job requirements.

Navicular, minor avulsion fractures.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	10	14
Light	7	14	21
Medium	14	21	42
Heavy	14	28	56
Very Heavy	21	42	70

Stress fracture, navicular bone of foot.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	3	21	28
Medium	28	42	56
Heavy	42	56	70
Very Heavy	56	70	90

Surgical treatment, navicular fracture (undisplaced or displaced).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	42	49	56
Medium	56	63	84
Heavy	112	126	168
Very Heavy	112	168	182

Fracture, cuboid or cuneiform bone of foot.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	28
Light	3	21	42
Medium	14	28	63
Heavy	42	56	84
Very Heavy	56	70	112

Fracture, nose.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	1	4	7
Heavy	1	7	14
Very Heavy	1	7	14

Fracture, Patella
Length of Disability
Duration depends on severity of fracture and job requirements.

Fracture, patella.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	14	21	56
Medium	14	42	91
Heavy	21	77	112
Very Heavy	28	105	140

Fracture, Pelvis
Length of Disability
Disability may be permanent.
Fracture, pelvis (not including acetabulum), closed and nondisplaced.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	42	56
Light	28	56	84
Medium	42	70	112
Heavy	56	84	140
Very Heavy	84	98	168

Fracture, acetabulum.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	42	91
Light	42	56	112
Medium	56	84	140
Heavy	91	112	168
Very Heavy	112	154	182

Fracture, Radius and Ulna, Distal
Fracture, distal radius (closed or open treatment) with or without fracture of the ulna

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	42
Light	7	42	70
Medium	42	70	84
Heavy	70	91	126
Very Heavy	91	126	182

Fracture, ulna.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	7	14	63
Medium	42	70	91
Heavy	63	91	147
Very Heavy	91	112	168

Fracture, Radius, Proximal
Length of Disability
Duration depends on the response to treatment and whether the individual re-quired surgery. Without complications, there is usually no permanent disability un-less the individual routinely performs very heavy work.

Fracture, proximal radius type I or II.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	28
Light	7	14	56
Medium	42	56	77
Heavy	63	70	91
Very Heavy	70	91	112

Fracture, proximal radius type III or IV.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	14	21	91
Medium	63	91	147
Heavy	119	182	238
Very Heavy	119	182	273

Fracture, Rib
Fracture, 1-2 ribs (closed).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	14	21
Light	7	21	28
Medium	14	28	42
Heavy	21	42	56
Very Heavy	21	42	70

Fracture, Sacrum
Fracture, sacrum (stable, without neurologic deficit).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	21	42
Medium	7	42	70
Heavy	28	56	91
Very Heavy	28	70	126

Scapula
Length of Disability
The length of disability depends on the severity of the injury and individual's job requirements.
Fracture, scapula.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	14	21
Light	7	14	28
Medium	14	28	42
Heavy	28	42	84
Very Heavy	42	56	90

Fracture, Skull (Closed)
Length of Disability
Disability depends on the severity of any associated brain injury. The longer disa-bility durations arise not from skull fracture, but rather from the post-traumatic headache and/or vertigo.

Fracture, skull (closed, without brain injury).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	7	14	28
Medium	10	21	42
Heavy	14	28	56
Very Heavy	14	35	91

Fracture, Sternum (Closed)
Length of Disability
Disability depends on job requirements.

Fracture, sternum (closed).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	7	21	42
Medium	14	42	84
Heavy	42	91	98
Very Heavy	56	119	126

Fracture, Talus
Length of Disability
Duration depends on job requirements.

Avulsion fracture, talus.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	14	21	28
Heavy	28	35	84
Very Heavy	42	49	112

Body fracture, talus (undisplaced).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	21
Light	42	49	56
Medium	56	63	90
Heavy	70	84	154
Very Heavy	90	126	168

Body fracture, talus (displaced, comminuted).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	84	98	112
Medium	112	126	168
Heavy	140	154	182
Very Heavy	140	168	224

Osteochondral fracture, talar dome (excision of fragment without osteoto-my).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	14	21	28
Medium	42	49	56
Heavy	70	84	98
Very Heavy	84	90	112

Osteochondral fracture, talus (excision with osteotomy).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	28	42
Light	14	70	84
Medium	42	84	98
Heavy	56	98	112
Very Heavy	70	112	140

Osteochondral fracture, talus (open reduction and internal fixation).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	28	42
Light	14	70	84
Medium	42	84	98
Heavy	56	98	112
Very Heavy	70	112	140

Neck fracture, talus (vertical, without dislocation of talus).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	84	98	112
Medium	112	126	168
Heavy	140	154	182
Very Heavy	140	168	224

Neck fracture, talus (vertical, with dislocation of talus).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	21	28
Light	84	98	112
Medium	112	126	168
Heavy	140	154	182
Very Heavy	140	168	224

Fracture, Thoracic Spine (With Spinal Cord Injury)
Length of Disability
Disability may be permanent.

Fracture, thoracic spine (open or closed, with spinal cord injury).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	119	182	Indefinite
Light	119	182	Indefinite
Medium	Indefinite	Indefinite	Indefinite
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Fracture, Thoracic Spine (Without Spinal Cord Injury)
Fracture, thoracic spine without spinal cord injury (stable, brace).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	14	28
Light	14	21	42
Medium	42	56	91
Heavy	91	119	154
Very Heavy	119	154	182

Surgical treatment, unstable thoracic spine fracture (without neurologic deficit).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	21	28	91
Light	42	92	119
Medium	91	168	182
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Fracture, Tibia or Fibula
Length of Disability
Duration depends on severity of injury and job requirements.

Fracture, fibula (open or closed).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	14
Light	7	14	42
Medium	21	42	70
Heavy	70	77	112
Very Heavy	84	98	140

Fracture, tibia (closed with internal fixation or open).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	42
Light	28	42	105
Medium	91	112	140
Heavy	112	140	154
Very Heavy	140	154	182

Fracture Vertebrae
Length of Disability
In some cases, disability may be permanent.

Reduction of fractures and dislocations

Fracture, radius or radius with ulna.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	7	21	91
Medium	28	91	119
Heavy	56	119	147
Very Heavy	70	147	168

Fracture, distal radius (closed).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	21
Light	7	14	91
Medium	63	91	147
Heavy	119	182	238
Very Heavy	119	182	273

Fracture, metacarpal bone (closed with internal fixation or open without in-ternal fixation).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	7	42
Light	7	14	42
Medium	21	28	56
Heavy	28	42	84
Very Heavy	28	42	112

Fracture, phalanges of hand (closed with internal fixation, or open).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	42
Light	1	3	42
Medium	14	21	56
Heavy	28	42	70
Very Heavy	28	42	112

Fracture, phalanges of hand (open with internal fixation).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	7	42
Light	3	7	42
Medium	21	28	56
Heavy	28	42	70
Very Heavy	28	42	112

Fracture, femoral neck.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	42	56	84
Light	42	56	84
Medium	56	84	112
Heavy	Indefinite	Indefinite	Indefinite
Very Heavy	Indefinite	Indefinite	Indefinite

Fracture, tibia (closed with internal fixation, or open).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	14	28	84
Light	28	42	182
Medium	119	182	224
Heavy	161	224	273
Very Heavy	182	273	Indefinite

Fracture, sustentaculumtali.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	2	3	4
Medium	7	14	21
Heavy	42	56	84
Very Heavy	42	56	112

Anterior process fracture, calcaneus.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	1	3	7
Medium	14	42	70
Heavy	56	84	112
Very Heavy	56	84	112

Fracture, calcaneal tuberosity (vertical fracture).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	3	4	7
Light	14	21	28
Medium	28	35	84
Heavy	56	70	168
Very Heavy	56	70	224

Fracture, calcaneal tuberosity (horizontal fracture).

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	42	56	63
Medium	56	70	84
Heavy	84	98	168
Very Heavy	168	252	Indefinite

Tuberosity fracture, navicular bone of foot.

DURATION IN DAYS			
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	10	14
Light	7	14	21
Medium	14	21	42
Heavy	14	28	56
Very Heavy	21	42	56

Dorsal avulsion fracture, navicular bone of foot.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	2	3
Medium	14	21	28
Heavy	28	35	56
Very Heavy	28	35	56

Body fracture, navicular bone of foot (undisplaced).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	2	3
Medium	21	28	112
Heavy	70	77	168
Very Heavy	70	77	224

Body fracture, navicular bone of foot (displaced).

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	7	9	14
Light	42	49	56
Medium	56	63	112
Heavy	112	126	168
Very Heavy	112	126	224

Dislocation, interphalangeal joint of foot.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	2	3
Light	1	2	3
Medium	1	3	7
Heavy	14	21	28
Very Heavy	14	28	42

Dislocation, tarsometatarsal joint of foot.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	10	21
Light	14	42	70
Medium	28	84	182
Heavy	42	84	182
Very Heavy	42	84	182

Dislocation, midtarsal joint of foot.

	DURATION IN DAYS		
Job Classification	**Minimum**	**Optimum**	**Maximum**
Sedentary	1	3	7
Light	7	9	14
Medium	14	21	28
Heavy	28	35	84
Very Heavy	28	35	168

REFRENCE

1 - Medical Disability Advisor (MDA)
2 - American College of Occupational and Environmental Medicine Practice Guidelines (ACOEM APGi)
3 - ACOEM Practice Guidelines Version 3 (ACOEM V3)